

*Wattenberg Disposal, LLC
1675 Broadway, Suite 2800
Denver, CO 80202*

Suckla Farms Injection Well #1

*Section 10-T1N-R67W
Weld County, Colorado*

EPA Permit No. CO10938-02115

*Pressure Falloff Test
March 17, 2010 to March 29, 2010*

*Report Prepared By:
Peterson Energy Management, Inc.
2154 West Eisenhower Blvd.
Loveland, CO 80537*

1) Company Name & Address

Wattenberg Disposal, LLC
1675 Broadway, Suite 2800
Denver, Colorado 80202

2) Test Well Name & Location

Suckla Farms Injection Well #1
NW/4 Section 10-T1N-R67W
Weld County, Colorado

3) Facility Contact Person

Kent Gilbert 303-825-4822

Report Prepared by:

Andy Peterson 970-669-7411
Peterson Energy Management, Inc.
2154 W. Eisenhower Blvd., Loveland CO 80537

4) Openhole Log

See attached Dual Induction Log run 07/02/89
Lyons Sandstone injection zone

5) Well Schematic

See attached well schematic diagram

Wellbore radius: 0.328'

Completed interval depths: Lyons injection perforations 9276'-9418'

Type of completion: cased & cemented, injection under a packer set at 9040' via
2 7/8" fiber-lined tubing

6) Date of Fill Depth

Current fill depth is 9476', recorded in March, 2003.

7) Offset well information

The nearest well completed in the Lyons formation is the Wattenberg SWD #1,
NWSW Section 19-2N-66W, operated by Anadarko. This well is approximately 4½
miles to the north-east. No interference between these two wells is assumed to

occur for purposes of this analysis.

8) Chronological Listing of Daily Testing Activities

Company has been injecting water into the subject well during daylight hours for five to six days per week for the past year. Injection averaged 382 bbls per day since the last test.

03/17/10	08:08	Intermittent daylight injection stopped, well shut in
03/22/10	09:30	Tandem gauges installed at 9020' WLM
03/23/10	07:00	Injection began at 70.9 BWPH
03/24/10	07:00	Injection stopped, 1702 BW injected
03/29/10	08:14	Gauges off bottom (total SI= 121.23hrs)

9) Electronic Submission of Raw Data

Attached CD contains a file of raw time-pressure-temperature data (at packer depth) for both gauges.

10) Tabular Summary of Injection Rates

Tabular summary of injection rates for the three months preceding the falloff test is attached, as is a rate vs. time plot for the previous three months. This rate-time data is also included in a .csv file on the attached CD.

11) Offset Well Rate Information

As discussed above, no offset well rate information is considered to be useful in this test analysis.

12) Hard Copy of Time and Pressure Data

A tabular summary of raw time, pressure & temperature data (filtered) is attached.

13) Pressure Gauge Information

Bottom Gauge: 10,000 psi Well Watchers HT electronic memory strain gauge SN5351, installed at 9020.0' WLM.
Pressure accuracy 0.05% (+/- 5.0 psi)
Pressure resolution 0.0003% of full scale (+/- 0.03 psi).
Last calibration 11/09/2009

Top Gauge: 10,000 psi Well Watchers HT electronic memory strain gauge SN5316, installed at 9019.0' WLM.

Pressure accuracy 0.05% (+/-5.0 psi)
Pressure resolution 0.0003% of full scale (+/- 0.03 psi).
Last calibration 11/09/2009

Calibration certificates for both gauges are attached.

Gauges supplied by Lightning Wireline (970-785-2670)

14) General Test Information

Date of test: Injection commenced March 23, 2010, ceased March 24, 2010.
Bottom hole pressure monitored from March 22, 2010 to March 29, 2010.
Rate/Time information plotted from January 1, 2010 to March 29, 2010

Time synchronization: see attached data files.

Location of shut-in valve: well was shut in at the wellhead

15) Reservoir Parameters

Water viscosity (μ): 0.2313 cp (correlation)
Porosity (ϕ): 6% Density Log porosity (measured)
Total Compressibility (ct): 9.36e-06 (correlation)
Formation Volume Factor: 1.055 rb/stb (correlation)

Initial Formation Reservoir Pressure: From the attached semi-log Diagnostic Analysis Radial diagnostic plot, p^* is approximately 3931 psia at perforation midpoint. This is 18 psi above the 3912 p^* estimated from the semi-log (radial) Diagnostic Analysis plot on the last pressure falloff test run in March, 2009.

Final injection pressure is approximately 4471 psi, 53 psi above the 24-hour injection pressure on the March, 2009 pressure falloff test.

A summary of historical estimated Initial Formation Reservoir Pressure (p^*) values at 9347' perforation mid-point using a 0.442 psi/ft hydrostatic gradient follows:

July, 1993	4417 psia, unreliable (23 hour shut in, surface gauges, no radial flow)
November, 1997	3590 psia
October, 2001	3760 psia
February, 2003	3830 psia
April, 2004	3859 psia(radial plot, multi-layer synthesis)
April, 2005	3647 psia (radial plot, multi-layer synthesis)

April, 2006	3656 psia (radial plot, multi-layer synthesis)
April, 2007	3816 psia (radial plot, radial flow portion of radial test analysis)
March, 2008	3694 psia (radial plot, single layer)
March, 2009	3912 psia (radial plot, single layer)
March, 2010	3931 psia (radial plot, single layer)

Date Reservoir Pressure was last stabilized: Stabilization likely occurred during a workover in March, 2003, 72 months prior to this test. The 142 hour shut in period preceding the current test may have been long enough to see stabilization, as pressure was fairly steady at the start of injection.

Justified Interval Thickness: Tracer survey run 7/12/93 & temperature logs run 11/01/01 indicate entire 142' perforated interval is taking fluid. Wireline 1/8/03 & during 3/03 workover shows all perforations open.

16) Waste Plume

Cumulative injection volume into completed interval: 5,229,963 bbls as of March 29, 2010 at 12:00 AM (post-test volume, includes the 1702 bbls injected on the current test). This was arrived at by using injection volumes supplied by the Colorado Oil & Gas Conservation Commission through December, 1997, and injection volumes supplied by the operator from January, 1998, through March, 2010.

There were 139,274 bbls water injected into this well in the year since the last test.

Calculated radial distance to the waste front: We are unable to empirically calculate a distance to the waste front from this type of test as there is no contrast between historic waste plume viscosity and formation fluid viscosity.

Average historical waste fluid viscosity: To our knowledge, no direct viscosity measurements have been taken. Waste plume viscosity is assumed to be the same as formation fluid viscosity. Essentially all of the waste fluid injected into the Suckla Farms #1 has been oilfield produced water, which does not have a significant contrast to the Lyons formation water.

17) Injection Period

Time: 7:00 AM 3/23/2010 to 7:00AM 3/24/2010, 23.84 hours, 1702 bbls

Type fluid: oilfield brine/produced water

Pump Type: Water plant injection pump

Rate Meter: Halliburton digital turbine meter. SWD tanks were strapped before & after to confirm volume.

Final injection pressure, surface: unknown
Final injection pressure, at 9347' mid-perf: 4471.2 psia
Final Injection Temperature, at 9020' gauge depth: 123.07° F

18) Falloff Period

Total shut-in time: 7:00 AM 3/24/10 to 8:14 AM 3/39/10, 121.23 hours

Final shut-in pressure & temperature, at 9347' mid-perf:
4057.93 psia, 242.3 °F.

Time well went on vacuum: Well appears to have gone on a vacuum approximately 85 hours before the end of the test.

19) Pressure Gradient

A static gradient was run at the conclusion of this test. No fluid level was noted as it appears the fluid level was at surface. This is confirmed by the observed bottom hole pressure at the end of the test.

20-21) Calculated Test Data and Corresponding Graphs

Please see attached graphs of the current test:
Data Chart (Rate & Pressure vs Time)
Diagnostic Analysis (Log-Log Typecurve)
Diagnostic Analysis (Radial Semi-Log Analysis)
Two Layer Reservoir Model (Radial and Typecurve)

The Rate vs Time plot shows bottomhole injection pressure had essentially stabilized after the 24 hour injection period at 4471 psi. Injection pressure was falling at the rate of +/-0.04 psi/hr for the last six hours prior to shut in. No pressure anomalies due to gauge temperature de-stabilization are evident during the test. Data quality appears good. Pressure change during later test times are 0.01 psi per time step (1 minute). Gauge resolution (0.015 psi) is adequate for the observed pressure change.

The Diagnostic Analysis (Typecurve) shows that a short radial flow period was reached approximately 1.5 hours into the falloff portion of the test. Analysis of this region gives a system permeability of 5.03 md, with a skin factor of -4.877.

Using the permeability value calculated from the falloff period, we can calculate a radius of investigation from the falloff test as follows for $t = 121.23$ hrs, with other parameters as defined above:

$$r_{inv} = \sqrt{\frac{kt}{948\phi\mu c_i}} = \sqrt{\frac{5.03 \cdot 121.23}{948 \cdot 0.06 \cdot 0.2313 \cdot 9.36 \times 10^{-6}}} = 2214'$$

Radius of investigation = 2214'

The test was also successfully modeled using a Two-Layer Reservoir Model. An excellent history match is obtained by assuming a 64' layer with a permeability of 3.0918 md and skin of -5.978, and a 78' layer with a 0.8063 md permeability and -5.905 skin.

Due to the variable rate conditions reported prior to this test, the plots in this report use a superposition time function. EPA Region VI guidelines recommend using a rate history of at least twice the length of the falloff test. Rate information for 81 days preceding the falloff test was used to generate the superposition. This is sixteen times the duration of the falloff test.

Plots were generated using the F.A.S.T. WellTest software package available from Fekete Associates, Inc., Calgary, Alberta, Canada. A .fkt data file is included on the attached CD.

22) Comparison with Petition Demonstration

Condition #5 on Page 12 in Permit # CO10938-02115 stipulates an upper limit of 8,300,000 barrels of injected waste. This corresponds with a waste front of 1,320', assuming piston displacement. The current volume of 5,229,963 barrels injected corresponds to a waste front of 1076', assuming an injection interval of 142'. While the effective injection interval may be less than 142', the additional fracture porosity postulated in this, and previous reports makes 1076' a conservative estimate of the radial front of the waste plume. If fractures exist, then the reservoir must contain additional storage in the fracture system, in addition to the 6% matrix porosity. This will have the effect of increasing the effective porosity, which decreases the distance to the waste front for any assumed injection volume or effective zone height.

The injection front has progressed 15' since the March 2009 test. There are 244 feet remaining for the front to advance before the 1320' permit limit is reached. This represents approximately 19 years at current conditions.

Equation:

$$r_{inj} = \sqrt{\frac{5.615VB_w}{\pi h \phi}} = \sqrt{\frac{5.615 \cdot 5,229,963 \cdot 1.055}{142 \cdot 0.06 \cdot \pi}} = 1076'$$

where V = 5,229,963 bbls, FVF = 1.055 rb/stb, h = 142', ϕ = 0.06

It is our opinion that the current test design is adequate to investigate this reservoir, given the constraints of daylight-only injection operations and available water storage. We recommend that subsequent tests follow this same design, which has now been used for four consecutive annual tests.

23) Radioactive Tracer Survey

A radioactive tracer was not run during this test. The last radioactive tracer survey run in the Suckla Farms #1 was done in July, 1993.

24) Unusual Permit Approval Conditions

We are not aware of any unusual permit approval conditions.

Report prepared for Wattenberg Disposal, LLC. by


PETERSON ENERGY MANAGEMENT, INC



Andrew S. Peterson, P.E.


June 20, 2009

Reference: EPA Region VI UIC Pressure Falloff Testing Guideline, Third Revision, August 8, 2002




REF

09300 09400




WELLBORE SCHEMATIC

WATTENBERG DISPOSAL
SUCKLA FARMS INJECTION WELL #1
NW/4 SECTION 10-1N-67W
WELD COUNTY, CO
05-123-14291



Suckla Farms Well #1 Injection History, 2010



Suckla Farms Injection Well #1
Injection History
2010 EPA Test

DETAIL INJECTION HISTORY						
-1713.6						
# PUMPS	RATE	BBLS	INC HRS	START TIME	END TIME	CUM HRS
0	0	0	0.00	1/1/2010 7:00	1/1/2010 7:00	0.00
0	0	0	24.00			24.00
0	0	0	0.00	1/2/2010 7:00	1/2/2010 7:00	24.00
0	0	0	24.00			48.00
0	0	0	0.00	1/3/2010 7:00	1/3/2010 7:00	48.00
0	0	0	24.00			72.00
1	-1713.6	684	9.58	1/4/2010 7:00	1/4/2010 16:34	81.58
0	0	0	14.42			96.00
2	-3427.2	716	5.01	1/5/2010 7:00	1/5/2010 12:00	101.01
0	0	0	18.99			120.00
1	-1713.6	461	6.46	1/6/2010 7:00	1/6/2010 13:27	126.46
0	0	0	17.54			144.00
1	-1713.6	350	4.90	1/7/2010 7:00	1/7/2010 11:54	148.90
0	0	0	19.10			168.00
0	0	0	0.00	1/8/2010 7:00	1/8/2010 7:00	168.00
0	0	0	24.00			192.00
0	0	0	0.00	1/9/2010 7:00	1/9/2010 7:00	192.00
0	0	0	24.00			216.00
0	0	0	0.00	1/10/2010 7:00	1/10/2010 7:00	216.00
0	0	0	24.00			240.00
2	-3427.2	813	5.69	1/11/2010 7:00	1/11/2010 12:41	245.69
0	0	0	18.31			264.00
1	-1713.6	508	7.11	1/12/2010 7:00	1/12/2010 14:06	271.11
0	0	0	16.89			288.00
1	-1713.6	653	9.15	1/13/2010 7:00	1/13/2010 16:08	297.15
0	0	0	14.85			312.00
1	-1713.6	498	6.97	1/14/2010 7:00	1/14/2010 13:58	318.97
0	0	0	17.03			336.00
1	-1713.6	230	3.22	1/15/2010 7:00	1/15/2010 10:13	339.22
0	0	0	20.78			360.00
0	0	0	0.00	1/16/2010 7:00	1/16/2010 7:00	360.00
0	0	0	24.00			384.00
0	0	0	0.00	1/17/2010 7:00	1/17/2010 7:00	384.00
0	0	0	24.00			408.00
2	-3427.2	772	5.41	1/18/2010 7:00	1/18/2010 12:24	413.41
0	0	0	18.59			432.00
1	-1713.6	248	3.47	1/19/2010 7:00	1/19/2010 10:28	435.47
0	0	0	20.53			456.00
1	-1713.6	577	8.08	1/20/2010 7:00	1/20/2010 15:04	464.08
0	0	0	15.92			480.00
2	-3427.2	984	6.89	1/21/2010 7:00	1/21/2010 13:53	486.89
0	0	0	17.11			504.00
2	-3427.2	720	5.04	1/22/2010 7:00	1/22/2010 12:02	509.04
0	0	0	18.98			528.00
0	0	0	0.00	1/23/2010 7:00	1/23/2010 7:00	528.00
0	0	0	24.00			552.00
0	0	0	0.00	1/24/2010 7:00	1/24/2010 7:00	552.00
0	0	0	24.00			576.00
1	-1713.6	495	6.93	1/25/2010 7:00	1/25/2010 13:55	582.93
0	0	0	17.07			600.00
1	-1713.6	237	3.32	1/26/2010 7:00	1/26/2010 10:19	603.32
0	0	0	20.68			624.00
1	-1713.6	712	9.97	1/27/2010 7:00	1/27/2010 16:58	633.97
0	0	0	14.03			648.00
1	-1713.6	539	7.55	1/28/2010 7:00	1/28/2010 14:32	655.55
0	0	0	16.45			672.00
2	-3427.2	754	5.28	1/29/2010 7:00	1/29/2010 12:16	677.28
0	0	0	18.72			696.00
0	0	0	0.00	1/30/2010 7:00	1/30/2010 7:00	696.00
0	0	0	24.00			720.00
0	0	0	0.00	1/31/2010 7:00	1/31/2010 7:00	720.00
0	0	0	24.00			744.00
1	-1713.6	332	4.65	2/1/2010 7:00	2/1/2010 11:38	748.65
0	0	0	19.35			768.00
1	-1713.6	253	3.54	2/2/2010 7:00	2/2/2010 10:32	771.54
0	0	0	20.46			792.00
0	0	0	0.00	2/3/2010 7:00	2/3/2010 7:00	792.00
0	0	0	24.00			816.00
2	-3427.2	780	5.46	2/4/2010 7:00	2/4/2010 12:27	821.46
0	0	0	18.54			840.00
1	-1713.6	458	6.41	2/5/2010 7:00	2/5/2010 13:24	846.41
0	0	0	17.59			864.00
0	0	0	0.00	2/6/2010 7:00	2/6/2010 7:00	864.00
0	0	0	24.00			888.00
0	0	0	0.00	2/7/2010 7:00	2/7/2010 7:00	888.00
0	0	0	24.00			912.00
1	-1713.6	595	8.33	2/8/2010 7:00	2/8/2010 15:20	920.33
0	0	0	15.67			936.00
1	-1713.6	381	5.34	2/9/2010 7:00	2/9/2010 12:20	941.34
0	0	0	18.66			960.00
2	-3427.2	829	5.81	2/10/2010 7:00	2/10/2010 12:48	965.81
0	0	0	18.19			984.00
1	-1713.6	397	5.56	2/11/2010 7:00	2/11/2010 12:33	989.56
0	0	0	18.44			1006.00
1	-1713.6	614	8.60	2/12/2010 7:00	2/12/2010 15:35	1016.80
0	0	0	15.40			1032.00
0	0	0	0.00	2/13/2010 7:00	2/13/2010 7:00	1032.00
0	0	0	24.00			1056.00

SUMMARY INJECTION HISTORY			
START	END	RATE	HRS
0.00	72.00	0	72.00
72.00	81.58	-1714	9.58
81.58	96.00	0	14.42
96.00	101.01	-3427	5.01
101.01	120.00	0	18.99
120.00	126.46	-1714	6.46
126.46	144.00	0	17.54
144.00	148.90	-1714	4.90
148.90	240.00	0	91.10
240.00	245.69	-3427	5.69
245.69	264.00	0	18.31
264.00	271.11	-1714	7.11
271.11	288.00	0	16.89
288.00	297.15	-1714	9.15
297.15	312.00	0	14.85
312.00	318.97	-1714	6.97
318.97	336.00	0	17.03
336.00	339.22	-1714	3.22
339.22	348.00	0	68.78
348.00	413.41	-3427	5.41
413.41	432.00	0	18.58
432.00	435.47	-1714	3.47
435.47	456.00	0	20.53
456.00	464.08	-1714	8.08
464.08	480.00	0	15.92
480.00	486.89	-3427	6.89
486.89	504.00	0	17.11
504.00	509.04	-3427	5.04
509.04	576.00	0	66.96
576.00	582.93	-1714	6.93
582.93	600.00	0	17.07
600.00	603.32	-1714	3.32
603.32	624.00	0	20.68
624.00	633.97	-1714	9.97
633.97	648.00	0	14.03
648.00	655.55	-1714	7.55
655.55	672.00	0	16.45
672.00	677.28	-3427	5.28
677.28	744.00	0	66.72
744.00	748.65	-1714	4.65
748.65	768.00	0	19.35
768.00	771.54	-1714	3.54
771.54	816.00	0	44.46
816.00	821.46	-3427	5.46
821.46	840.00	0	18.54
840.00	846.41	-1714	6.41
846.41	912.00	0	65.59
912.00	920.33	-1714	8.33
920.33	936.00	0	15.67
936.00	941.34	-1714	5.34
941.34	960.00	0	18.66
960.00	965.81	-3427	5.81
965.81	984.00	0	18.19
984.00	989.56	-1714	5.56
989.56	1008.00	0	18.44
1008.00	1016.60	-1714	8.60
1016.60	1080.00	0	63.40
1080.00	1085.50	-3427	5.50
1085.50	1104.00	0	18.50
1104.00	1111.49	-1714	7.49
1111.49	1128.00	0	16.51
1128.00	1136.99	-1714	8.99
1136.99	1152.00	0	15.01
1152.00	1158.25	-1714	6.25
1158.25	1176.00	0	17.75
1176.00	1179.28	-1714	3.28
1179.28	1248.00	0	68.72
1248.00	1254.69	-1714	6.69
1254.69	1272.00	0	17.31
1272.00	1274.52	-1714	2.52
1274.52	1296.00	0	21.48
1296.00	1302.21	-3427	6.21
1302.21	1320.00	0	17.79
1320.00	1325.43	-3427	5.43
1325.43	1344.00	0	18.57
1344.00	1349.92	-1714	5.92
1349.92	1416.00	0	66.08
1416.00	1419.63	-1714	3.63
1419.63	1440.00	0	20.37
1440.00	1447.83	-1714	7.83
1447.83	1464.00	0	16.17
1464.00	1469.88	-3427	5.88
1469.88	1488.00	0	18.12
1488.00	1493.68	-3427	5.68
1493.68	1512.00	0	18.32
1512.00	1518.11	-3427	6.11

0	0	0	0.00	2/14/2010 7:00	2/14/2010 7:00	1056.00
	0		24.00			1080.00
2	-3427.2	785	5.50	2/15/2010 7:00	2/15/2010 12:29	1085.50
	0		18.50			1104.00
1	-1713.6	535	7.49	2/16/2010 7:00	2/16/2010 14:29	1111.49
	0		16.51			1128.00
1	-1713.6	642	8.99	2/17/2010 7:00	2/17/2010 15:59	1136.99
	0		15.01			1152.00
1	-1713.6	446	6.25	2/18/2010 7:00	2/18/2010 13:14	1158.25
	0		17.75			1176.00
1	-1713.6	234	3.28	2/19/2010 7:00	2/19/2010 10:16	1179.28
	0		20.72			1200.00
0	0	0	0.00	2/20/2010 7:00	2/20/2010 7:00	1200.00
	0		24.00			1224.00
0	0	0	0.00	2/21/2010 7:00	2/21/2010 7:00	1224.00
	0		24.00			1248.00
1	-1713.6	476	6.69	2/22/2010 7:00	2/22/2010 13:41	1254.69
	0		17.31			1272.00
1	-1713.6	180	2.52	2/23/2010 7:00	2/23/2010 9:31	1274.52
	0		21.48			1296.00
2	-3427.2	887	6.21	2/24/2010 7:00	2/24/2010 13:12	1302.21
	0		17.79			1320.00
2	-3427.2	776	5.43	2/25/2010 7:00	2/25/2010 12:26	1325.43
	0		18.57			1344.00
1	-1713.6	423	5.92	2/26/2010 7:00	2/26/2010 12:55	1349.92
	0		18.08			1368.00
0	0	0	0.00	2/27/2010 7:00	2/27/2010 7:00	1368.00
	0		24.00			1392.00
0	0	0	0.00	2/28/2010 7:00	2/28/2010 7:00	1392.00
	0		24.00			1416.00
1	-1713.6	259	3.63	3/1/2010 7:00	3/1/2010 10:37	1419.63
	0		20.37			1440.00
1	-1713.6	559	7.83	3/2/2010 7:00	3/2/2010 14:49	1447.83
	0		16.17			1464.00
2	-3427.2	839	5.88	3/3/2010 7:00	3/3/2010 12:52	1469.88
	0		18.12			1488.00
2	-3427.2	811	5.68	3/4/2010 7:00	3/4/2010 12:40	1493.68
	0		18.32			1512.00
2	-3427.2	873	6.11	3/5/2010 7:00	3/5/2010 13:06	1518.11
	0		17.89			1536.00
0	0	0	0.00	3/6/2010 7:00	3/6/2010 7:00	1536.00
	0		24.00			1560.00
0	0	0	0.00	3/7/2010 7:00	3/7/2010 7:00	1560.00
	0		24.00			1584.00
2	-3427.2	718	5.03	3/8/2010 7:00	3/8/2010 12:01	1589.03
	0		18.97			1608.00
1	-1713.6	579	8.11	3/9/2010 7:00	3/9/2010 15:06	1616.11
	0		15.89			1632.00
1	-1713.6	523	7.32	3/10/2010 7:00	3/10/2010 14:19	1639.32
	0		16.66			1656.00
1	-1713.6	677	9.48	3/11/2010 7:00	3/11/2010 16:28	1665.48
	0		14.52			1680.00
1	-1713.6	663	9.29	3/12/2010 7:00	3/12/2010 16:17	1689.29
	0		14.71			1704.00
0	0	0	0.00	3/13/2010 7:00	3/13/2010 7:00	1704.00
	0		24.00			1728.00
0	0	0	0.00	3/14/2010 7:00	3/14/2010 7:00	1728.00
	0		24.00			1752.00
1	-1713.6	550	7.70	3/15/2010 7:00	3/15/2010 14:42	1759.70
	0		16.30			1776.00
0	0	0	0.00	3/16/2010 7:00	3/16/2010 7:00	1776.00
	0		24.00			1800.00
1	-1713.6	82	1.15	3/17/2010 7:00	3/17/2010 8:08	1801.15
	0		22.85			1824.00
0	0	0	0.00	3/18/2010 7:00	3/18/2010 7:00	1824.00
	0		24.00			1848.00
0	0	0	0.00	3/19/2010 7:00	3/19/2010 7:00	1848.00
	0		24.00			1872.00
0	0	0	0.00	3/20/2010 7:00	3/20/2010 7:00	1872.00
	0		24.00			1896.00
0	0	0	0.00	3/21/2010 7:00	3/21/2010 7:00	1896.00
	0		24.00			1920.00
0	0	0	0.00	3/22/2010 7:00	3/22/2010 7:00	1920.00
	0		24.00			1944.00
1	-1713.6	1702	23.84	3/23/2010 7:00	3/24/2010 6:50	1967.84
	0		0.16			1968.00
0	0	0	0.00	3/24/2010 7:00	3/24/2010 7:00	1968.00
	0		24.00			1992.00
0	0	0	0.00	3/25/2010 7:00	3/25/2010 7:00	1992.00
	0		24.00			2016.00
0	0	0	0.00	3/26/2010 7:00	3/26/2010 7:00	2016.00
	0		24.00			2040.00
0	0	0	0.00	3/27/2010 7:00	3/27/2010 7:00	2040.00
	0		24.00			2064.00
0	0	0	0.00	3/28/2010 7:00	3/28/2010 7:00	2064.00
	0		24.00			2088.00
2	-3427.2	871	6.10	3/29/2010 7:00	3/29/2010 13:05	2094.10
	0		17.90			2112.00
2	-3427.2	780	5.46	3/30/2010 7:00	3/30/2010 12:27	2117.46
	0		18.54			2136.00
1	-1713.6	584	8.18	3/31/2010 7:00	3/31/2010 15:10	2144.18
	0		15.82			2160.00

4/1/2010 7:00

1518.11	1584.00	0	65.89
1584.00	1589.03	-3427	5.03
1589.03	1608.00	0	18.97
1608.00	1616.11	-1714	8.11
1616.11	1632.00	0	15.89
1632.00	1639.32	-1714	7.32
1639.32	1656.00	0	16.68
1656.00	1665.48	-1714	9.48
1665.48	1680.00	0	14.52
1680.00	1689.29	-1714	9.29
1689.29	1752.00	0	62.71
1752.00	1759.70	-1714	7.70
1759.70	1800.00	0	40.30
1800.00	1801.15	-1714	1.15
1801.15	1944.00	0	142.85
1944.00	1967.84	-1714	23.84
1967.84	2088.00	0	120.16
2088.00	2094.10	-3427	6.10
2094.10	2112.00	0	17.90
2112.00	2117.46	-3427	5.46
2117.46	2136.00	0	18.54
2136.00	2144.18	-1714	8.18
2144.18	2160.00	0	15.82
2160.00	END OF TEST	0	#VALUE!

SUM--> 2160.00

Calibration Certificate No: 5316

Model: Well Watchers High Temp.

Software Version: N/A

Maximum Pressure Rating: 10,000 PSI

Maximum Temperature Rating: 302 F

Calibration Date 17-November, 2009

Specifications

Calibration Pressure Range:	Minimum: 20.0 PSI	Maximum: 10,000 PSI
Calibration Temperature Range:	Minimum: 32 F	Maximum: 302 F
Pressure:	Accuracy: ± 0.05%	± 5 PSI
Temperature:	Accuracy: ± 1.8°F	

Calibration Summary

Pressure Accuracy (Maximum Error):	± 4.24 PSI
Temperature Accuracy (Maximum Error):	± 0.74 F

Working Standard

- Pressure: Quartzdyne – Model DSB 301-20-C85 - S/N 184284
- Temperature: Sun Systems Environmental Chamber EC 15 HA, s/n AA1007

Transfer Standard

- Pressure: Chandler Engineering Hydraulic Deadweight - Model 58-001K-T-1 - S/N 25052 – 0 to 15000 PSI Mass Set - .05% Accuracy
- Temperature: Hart Scientific Platinum Resistance Thermometer – Model 5626 – S/N 1311 with an accuracy of ± 0.006°C (± 0.011 F)

Traceability Statement

All working standards are traceable to nationally or internationally recognized standards.

- Chandler Engineering Hydraulic Deadweight – Pressure standards referenced to NIST (File TN822-256610-96, TN838-256609-96, P-8523)
- Chandler Engineering Hydraulic Deadweight – Alberta Energy and Utilities Board Annual Deadweight Gauge Calibration - Transfer Standard S/N 4079-85 – Traceable to the Institute for National Measurement Standards (INMS) of the National Research Council of Canada (NRC). INMS Report MS312, INMS Lab Order Number 85134.
- Platinum Resistance Thermometer (PRT) Model 5626, S/N 1311 was calibrated at the ice point and / or by comparison to Standard Platinum Resistance Thermometers (SPRTs). These SPRTs are calibrated to the International Temperature Scale of 1990 (ITS-90) and their calibration is traceable to the National Institute of Standards and Technology (NIST)


Calibration Performed By


Approved By

This Certificate shall not be reproduced, without the written approval of the laboratory.

Quartz S/N: 0D184284

Cal File: VCAL1161.mky

Gauge: v5316

Date/Time: 2009/11/17 11:57:34


Ref Pressure psi	Tool Pressure psi	Ref Temp $^{\circ}\text{C}$	Tool Temp $^{\circ}\text{C}$	Pressure Diff psi	Temp Diff $^{\circ}\text{C}$
200.10	200.12	41.71	41.73	0.02	0.02
700.09	700.51	41.78	41.80	0.42	0.02
2300.08	2300.82	41.85	41.88	0.74	0.03
4100.02	4101.20	41.93	41.95	1.18	0.02
6200.01	6201.50	41.90	41.95	1.49	0.05
7800.01	7802.07	41.90	41.95	2.06	0.05
9300.04	9301.77	41.95	41.97	1.73	0.02
1199.90	1201.44	61.25	61.31	1.54	0.06
699.46	700.95	81.32	81.30	1.49	-0.02
2300.05	2300.54	81.33	81.30	0.49	-0.03
4100.10	4101.50	81.32	81.29	1.40	-0.03
6200.28	6201.61	81.36	81.33	1.33	-0.03
7799.98	7801.32	81.36	81.32	1.34	-0.04
9300.02	9302.16	81.35	81.32	2.14	-0.03
1200.01	1202.28	95.72	95.71	2.27	-0.01
699.86	702.51	110.97	110.95	2.65	-0.02
2300.08	2301.98	110.99	111.00	1.90	0.01
4100.11	4100.93	110.94	110.96	0.82	0.02
6200.24	6202.13	111.04	110.98	1.89	-0.06
7800.03	7802.02	110.93	110.88	1.99	-0.05
9299.92	9302.30	110.94	110.92	2.38	-0.02
1199.96	1197.75	125.40	125.43	-2.21	0.03
699.84	700.06	141.07	141.00	0.22	-0.07
2299.95	2304.19	141.10	141.00	4.24	-0.10
4099.87	4103.51	141.12	141.02	3.64	-0.10
6199.87	6199.12	141.06	141.00	-0.75	-0.06
7799.99	7802.13	140.99	140.94	2.14	-0.05
9299.85	9303.86	140.86	140.85	4.01	-0.01
100.49	100.35	46.66	47.07	-0.14	0.41
11.60	11.04	47.22	47.20	-0.56	-0.02

Press/Temp Range: _____

Transducer Type: _____

Air Cat: _____

Job #	Duration	Description	Notes
-------	----------	-------------	-------



Calibration Certificate No: 5351

Model: Well Watchers High Temp.

Software Version: N/A

Maximum Pressure Rating: 10,000 PSI

Maximum Temperature Rating: 302 F

Calibration Date 17-November, 2009

Specifications

Calibration Pressure Range:	Minimum: 20.0 PSI	Maximum: 10,000 PSI
Calibration Temperature Range:	Minimum: 32 F	Maximum: 302 F
Pressure:	Accuracy: ± 0.05%	± 5 PSI
Temperature:	Accuracy: ± 1.8°F	

Calibration Summary

Pressure Accuracy (Maximum Error):	± 3.31 PSI
Temperature Accuracy (Maximum Error):	± 0.94 F

Working Standard

- Pressure: Quartzdyne – Model DSB 301-20-C85 - S/N 184284
- Temperature: Sun Systems Environmental Chamber EC 15 HA, s/n AA1007

Transfer Standard

- Pressure: Chandler Engineering Hydraulic Deadweight - Model 58-001K-T-1 - S/N 25052 – 0 to 15000 PSI Mass Set - .05% Accuracy
- Temperature: Hart Scientific Platinum Resistance Thermometer – Model 5626 – S/N 1311 with an accuracy of ± 0.006°C (± 0.011 F)

Traceability Statement

All working standards are traceable to nationally or internationally recognized standards.

- Chandler Engineering Hydraulic Deadweight – Pressure standards referenced to NIST (File TN822-256610-96, TN838-256609-96, P-8523)
- Chandler Engineering Hydraulic Deadweight – Alberta Energy and Utilities Board Annual Deadweight Gauge Calibration - Transfer Standard S/N 4079-85 – Traceable to the Institute for National Measurement Standards (INMS) of the National Research Council of Canada (NRC). INMS Report MS312, INMS Lab Order Number 85134.
- Platinum Resistance Thermometer (PRT) Model 5626, S/N 1311 was calibrated at the ice point and / or by comparison to Standard Platinum Resistance Thermometers (SPRTs). These SPRTs are calibrated to the International Temperature Scale of 1990 (ITS-90) and their calibration is traceable to the National Institute of Standards and Technology (NIST)


Calibration Preformed By


Approved By

This Certificate shall not be reproduced, without the written approval of the laboratory.

Quartz S/N: 0D184284

Cal File: VCAL1161.mky

Gauge: v5351

Date/Time: 2009/11/17 11:55:53


Ref Pressure psi	Tool Pressure psi	Ref Temp $^{\circ}\text{C}$	Tool Temp $^{\circ}\text{C}$	Pressure Diff psi	Temp Diff $^{\circ}\text{C}$
200.10	200.22	41.71	41.72	0.12	0.01
700.09	700.08	41.78	41.79	-0.01	0.01
2300.08	2300.73	41.85	41.87	0.65	0.02
4100.02	4101.30	41.93	41.94	1.28	0.01
6200.01	6201.62	41.90	41.94	1.61	0.04
7800.01	7802.56	41.90	41.93	2.55	0.03
9300.04	9303.35	41.95	41.94	3.31	-0.01
1199.90	1200.61	61.25	61.25	0.71	0.00
699.46	700.69	81.32	81.29	1.23	-0.03
2300.05	2300.12	81.33	81.29	0.07	-0.04
4100.10	4099.48	81.32	81.28	-0.62	-0.04
6200.28	6200.94	81.36	81.33	0.66	-0.03
7799.98	7800.60	81.36	81.31	0.62	-0.05
9300.02	9301.19	81.35	81.30	1.17	-0.05
1200.01	1201.28	95.72	95.68	1.27	-0.04
699.86	700.46	110.97	110.94	0.60	-0.03
2300.08	2300.57	110.99	110.99	0.49	0.00
4100.11	4100.42	110.94	110.95	0.31	0.01
6200.24	6200.26	111.04	110.97	0.02	-0.07
7800.03	7800.60	110.93	110.87	0.57	-0.06
9299.92	9300.29	110.94	110.91	0.37	-0.03
1199.96	1201.86	125.40	125.38	1.90	-0.02
699.84	700.80	141.07	141.00	0.96	-0.07
2299.95	2301.40	141.10	141.01	1.45	-0.09
4099.87	4101.53	141.12	141.00	1.66	-0.12
6199.87	6201.18	141.06	140.99	1.31	-0.07
7799.99	7801.15	140.99	140.93	1.16	-0.06
9299.85	9301.48	140.86	140.84	1.63	-0.02
100.49	99.11	46.66	47.18	-1.38	0.52
11.60	10.10	47.22	47.17	-1.50	-0.05

Press/Temp Range: _____

Transducer Type: _____

Air Cal: _____

Job #	Duration	Description	Notes
-------	----------	-------------	-------




Suckla Farms Injection Well #1
 SENEW 10-T1N-R67W
 Lyons Sandstone: 9276'-9418' KB
 Test Date: March 22-29, 2010

Diagnostic Analysis

Total Test

Analysis: Peterson Energy Management, Inc.




Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418' KB
Test Date: March 22-29, 2010

Diagnostic Analysis

Diagnostic Plot


Analysis: Peterson Energy Management, Inc.



Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418' KB
Test Date: March 22-29, 2010

Diagnostic Analysis Radial


Analysis: Peterson Energy Management, Inc.



Suckla Farms Injection Well #1
SE NW 10-1N-67W
Lyons Sandstone: 9276'-9418 ft. KB
Test Date: March 22-29, 2010

Comparison Plot
2008, 2009, 2010 Data

Analysis: Peterson Energy Management, Inc.




Two Layer Model

Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418' KB
1st Date: March 24-29, 2010

$k_1 = 3.0918$ md
 $s_{d1} = -5.978$
 $k_2 = 0.8063$ md
 $s_{d2} = -5.905$

Side View

(Not to scale)




Two Layer Model

(Layer 1)

Suckla Farms Injection Well #1
S^ENW 10-T1N-R67W
Lons Sandstone: 9276'-9418' KB
TEst Date: March 24-29, 2010


$k_1 = 3.0918$ md
 $s_{d1} = -5.978$
 $k_2 = 0.8063$ md
 $s_{d2} = -5.905$

Plan View



Side View

(Not to scale)



Two Layer Model

(Layer 2)

Suckla Farms Injection Well #1

SE NW 10-T1N-R67W

Lions Sandstone: 9276'-9418' KB


Test Date: March 24-29, 2010

$k_1 = 3.0918 \text{ md}$
 $s_{d1} = -5.978$
 $k_2 = 0.8063 \text{ md}$
 $s_{d2} = -5.905$

Plan View


(Not to scale)

$X_{e2} = 2625.000 \text{ ft}$



Side View

(Not to scale)



Water Model - Two Layer Model

Analysis Results

	Layer 1	Layer 2
Total Mobility of Layer 1 ($(k/\mu)_{t1}$)	13.37 md/cP	3.49 md/cP
Effective Permeability (k_t)	3.0918 md	0.8063 md
Net Pay (h_1)	64.000 ft	78.000 ft
Total Skin (s'_{t1})	-5.978	-5.905
Skin Due to Damage (s_{d1})	-5.978	-5.905
Viscosity (μ_1)	0.2313 cP	0.2313 cP
Total Porosity (ϕ_{t1})	6.00 %	6.00 %
Gas Saturation (S_{g1})	0.00 %	0.00 %
Oil Saturation (S_{o1})	0.00 %	0.00 %
Water Saturation (S_{w1})	100.00 %	100.00 %
Formation Compressibility (c_{f1})	6.010e-06 1/psi	6.010e-06 1/psi
Total Compressibility (c_{t1})	9.615e-06 1/psi	9.615e-06 1/psi
Length of Reservoir (X_{e1})	2625.000 ft	2625.000 ft
Width of Reservoir (Y_{e1})	2449.773 ft	2050.985 ft
Location of Well in X direction (X_{w1})	1612.244 ft	287.966 ft
Location of Well in Y direction (Y_{w1})	141.218 ft	186.474 ft

Wellbore Volume (V_w)	503 bbl
Dim. Apparent Wellbore Storage Constant (C_{aD})	177.010
Dim. Wellbore Storage Constant (C_D)	407.843
Dim. Wellbore Storage Pressure Parameter (C_{pD})	12.697

Reservoir Parameters

Wellbore Radius (r_w) 0.328 ft

Production and Pressures

Total Fluid Rate (in situ) ($(q\beta)_t$)	-1808.3 rbbl/d
Final Gas Rate (q_g final)	0.000 MMscfd
Final Water Rate (q_w final)	-1714.0 bbl/d
Total Cumulative Production Water (Cum _{water})	-29.84 Mbbl
Final Flowing Pressure (p_{wfo})	4469.9 psi(a)
Final Measured Pressure (p_{last})	4057.9 psi(a)

Fluid Properties

Reservoir Temperature (T_{resv})	241.7 °F
Reservoir Pressure (p_{resv})	14.7 psi(a)
Water Specific Gravity (γ_w)	1.020
Water Viscosity (μ_w)	0.2313 cP
Water Compressibility (c_w)	3.605e-06 1/psi
Water Formation Volume Factor (B_w)	1.055
Solution Gas Ratio (R_{sw})	0.0 scf/bbl

Synthesis Results

Average Error (E_{avg})	0.12 %
Synthetic Initial Pressure (p_i (syn))	3581.3 psi(a)
Extrapolated Model Pressure (p^* model)	3950.0 psi(a)
Pressure Drop Due to Total Skin (Δp_{skin})	0.0 psi(a)
Flow Efficiency (FE)	1.000
Damage Ratio (DR)	1.000

Forecasts


Forecast Flowing Pressure (Report) (p_{flow})	4469.9 psi(a)
Forecast Rate at 3 Months and Current Skin ($q_{@ 3 \text{ Months}}$)	-281.4 bbl/d
Forecast Rate at 6 Months and Current Skin ($q_{@ 6 \text{ Months}}$)	-171.2 bbl/d
Constant Rate Forecast Flow Time (Report) (t_{flow})	8766.00 h
Forecast Rate at Specified Time and Current Skin ($q_{@ \text{Current Skin}}$)	-98.0 bbl/d
Stabilized Injectivity Index @ Current Skin (II_{Actual})	1.261 (bbl/d)/psi
Forecast Rate at Specified Time and Skin = 0 ($q_{@ 0 \text{ Skin}}$)	-81.3 bbl/d
Stabilized Injectivity Index @ Skin = 0 (II_{ideal})	0.547 (bbl/d)/psi
Forecast Rate at Specified Time and Skin = -4 ($q_{@ -4 \text{ Skin}}$)	bbl/d

St. Farm #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418' KB
Test Date: March 22-29, 2010

Two Layer Model

Total Test


Analysis: Peterson Energy Management, Inc.



Stuck Farms Injector Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418' KB
Test Date: March 22-29, 2010

Two Layer Model
Diagnostic Plot


Analysis: Peterson Energy Management, Inc.



Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418' KB
Test Date: March 22-29, 2010

Two Layer Model Radial

Analysis: Peterson Energy Management, Inc.





LIGHTNING WIRELINE

A Local Service US Wireline Company

**Wattenburg Disposal
Suckla Farms Injection #1
SE NW Sec 10 T1N R67W
Injection/Static Gradient
2010-03-22 to 2010-03-29**



Company: Wattenburg Disposal
Address: c/o Lightning Wireline 405 Main St. Platteville, CO 80651
Well Name: Suckla Farms Injection #1
Location: SE NW Sec 10 T1N R67W
Field: Wattenburg
Status: Gas
Orientation: Vertical

Test Information

Test Type:	Injection - Static Gradient		
Date Of Test:	2010-03-22 to 2010-03-29		
Shut In Date:	2010-03-24	7:00:00	
On Bottom	2010-03-22	9:30:00	
Off Bottom	2010-03-29	8:14:00	
Flow Path:	Tubing	Packer:	Yes @ 9040.00 ft
Tubing:	ID:	2.15 "	OD: 2.875"
Casing:	ID:	N/A	OD: 5.5"
Tubing Pressure:	Before:	3910.00 psi (a)	After: 3912.00 psi(a)
Casing Pressure:	Before:	N/A	After: N/A

Perforations: 9347.00 ft mPP

Pool:	Top Depth	Base Depth
Lyons	9276.00	9418.00 ft

Gauge Data

	<u>Bottom</u>		<u>Top</u>
Gauge Type:	Well Watcher Strain	Gauge Type:	Well Watcher Strain
Serial Number:	5351	Serial Number:	5316
Run depth:	9020.00 ft	Run depth:	9019.00 ft
Battery On Time:	2010-03-22 8:50:00	Battery On Time:	2010-03-22 8:50:00
Battery Off Time:	2010-03-29 9:24:00	Battery Off Time:	2010-03-29 9:24:00
Calibration Date:	2009-11-09	Calibration Date:	2007-01-08
Pressure Range:	10,000 psi(a)	Pressure Range:	10,000 psi(a)
Accuracy:	0.05 % FS	Accuracy:	0.05 % FS
Resolution:	0.0003 % FS	Resolution:	0.0003 % FS

Remarks:

This report has been created for you by Gina Leask.
Please call (403) 347-9727 if you have any questions or comments. Thank you.

STATIC GRADIENT - March 29, 2010

**Wattenburg Disposal
Suckla Farms Injection #1**

UWI:	SE NW Sec 10 T1N R67W	KB Elevation:	Not available
Field:	Wattenburg	GL Elevation:	Not available
Formation:	Lyons	CF Elevation:	Not available
Status:	02 - Gas	Top of Production Interval:	9276.000 ftKB
License:		Btm of Production Interval:	9418.000 ftKB
Well Type:	Vertical	Mid Point of Prod. Interval:	9347.00 ftKB
Start of Test:	March 29, 2010 08:12	Initial Tubing Pressure:	3910.00 psi(a)
Final Test Date and Time:	March 29, 2010 09:24	Initial Casing Pressure:	N/A
Shut-In Date and Time:	March 24, 2010 07:00	Shut-In Duration:	121.2089 hr

	Bottom	Top
Gauge Type:	Well Watcher Strain	Well Watcher Strain
Manufacturer:	Well Watchers Inc.	Well Watchers Inc.
Serial Number:	5351	5316
Pressure Range:	0 - 10000.00 psi(a)	0 - 10000.00 psi(a)
Resolution:	0.05000 % FS	0.05000 % FS
Accuracy:	0.00030 % FS	0.00030 % FS
Calibration Date:	November 09, 2009	November 09, 2009
Battery On Time:	March 22, 2010 08:50	March 22, 2010 08:50
Battery Off Time:	March 29, 2010 09:24	March 29, 2010 09:24
On Bottom Time:	March 22, 2010 09:30	March 22, 2010 09:30
Off Bottom Time:	March 29, 2010 08:14	March 29, 2010 08:14
Run Depth:	9020.00 ftKB	9019.00 ftKB
Pressure at Run Depth:	3914.97 psi(a)	3902.71 psi(a)
Pressure at MPP:	4053.94 psi(a)	4038.83 psi(a)
Representative Gradient:	0.425 psi/ft	0.415 psi/ft
Temperature at Run Depth:	242.25 °F	242.48 °F
Liquid Level:	No Liquid Level	No Liquid Level

Bottom Gradient				
Depth ftKB	Temp. °F	Pressure psi(a)	Calc. Grad psi/ft	Temp. Grad °F/ft
0.00	61.99	9.08	0.433	0.014
500.00	69.07	225.64	0.417	0.014
1000.00	75.84	434.04	0.460	0.018
1500.00	84.76	664.07	0.440	0.024
2000.00	96.98	883.83	0.437	0.021
3500.00	128.68	1540.01	0.434	0.024
5000.00	165.01	2191.60	0.431	0.020
7500.00	215.64	3269.55	0.425	0.018
9020.00	242.25	3914.97		


Time hh:mm:ss	Top Gradient				
	Depth ftKB	Temp. °F	Pressure psi(a)	Calc. Grad psi/ft	Temp. Grad °F/ft
09:23:32	0.00	62.66	13.06	0.433	0.013
09:17:32	499.00	69.00	229.10	0.416	0.013
09:11:32	999.00	75.63	437.20	0.459	0.017
09:04:32	1499.00	84.19	666.92	0.439	0.023
08:57:32	1999.00	95.91	886.47	0.438	0.021
08:46:32	3499.00	127.76	1543.37	0.435	0.022
08:36:32	4999.00	161.30	2195.38	0.431	0.021
08:24:32	7499.00	213.48	3271.90	0.415	0.019
08:12:32	9019.00	242.48	3902.71		

Remarks:

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons


Bottom Pressure Gradient



Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons


Top Pressure Gradient



Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons


Suckla Farms Injection #1



Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

Difference Plot



Wattenburg Disposal
 SE NW Sec 10 T1N R67W
 Start Test Date: 2010/03/22
 Final Test Date: 2010/03/29

Suckla Farms Injection #1
 Formation: Lyons
 Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
1	2010/03/22	08:50:00	0.0000	6.69	59.73	08:50:01	0.0000	11.26	60.74	
2	2010/03/22	08:50:29	0.0081	6.73	61.07	08:50:30	0.0081	11.16	60.74	-0.64
3	2010/03/22	08:55:12	0.0867	7.09	62.17	08:55:13	0.0867	11.53	62.42	-0.64
4	2010/03/22	09:00:02	0.1672	298.36	59.16	09:00:03	0.1672	303.40	59.24	-0.42
5	2010/03/22	09:04:52	0.2478	915.96	68.78	09:04:53	0.2478	920.24	68.40	-0.32
6	2010/03/22	09:09:42	0.3283	1540.65	86.85	09:09:43	0.3283	1543.26	86.71	-0.07
7	2010/03/22	09:14:32	0.4089	2206.36	111.26	09:14:33	0.4089	2207.40	113.08	0.20
8	2010/03/22	09:19:22	0.4894	2926.67	140.95	09:19:23	0.4894	2927.93	143.05	0.20
9	2010/03/22	09:24:12	0.5700	3660.74	177.49	09:24:13	0.5700	3663.28	179.17	-0.37
10	2010/03/22	09:29:02	0.6506	3910.23	213.00	09:29:03	0.6506	3912.07	215.38	-0.27
11	2010/03/22	09:33:52	0.7311	3904.20	228.75	09:33:53	0.7311	3905.64	229.98	-0.21
12	2010/03/22	09:38:42	0.8117	3904.76	235.15	09:38:43	0.8117	3905.98	235.81	-0.17
13	2010/03/22	09:43:32	0.8922	3913.92	237.86	09:43:33	0.8922	3915.27	238.29	-0.20
14	2010/03/22	09:48:22	0.9728	3910.82	239.10	09:48:23	0.9728	3912.06	239.46	-0.18
15	2010/03/22	09:53:12	1.0533	3911.03	239.63	09:53:13	1.0533	3912.34	239.92	-0.19
16	2010/03/22	09:58:02	1.1339	3911.24	239.94	09:58:03	1.1339	3912.55	240.20	-0.19
17	2010/03/22	10:02:52	1.2144	3911.33	240.16	10:02:53	1.2144	3912.64	240.42	-0.19
18	2010/03/22	10:07:42	1.2950	3911.40	240.33	10:07:43	1.2950	3912.72	240.59	-0.19
19	2010/03/22	10:12:32	1.3756	3911.41	240.48	10:12:33	1.3756	3912.77	240.73	-0.20
20	2010/03/22	10:17:22	1.4561	3911.46	240.60	10:17:23	1.4561	3912.79	240.85	-0.19
21	2010/03/22	10:22:12	1.5367	3911.49	240.70	10:22:13	1.5367	3912.83	240.95	-0.19
22	2010/03/22	10:27:02	1.6172	3911.49	240.79	10:27:03	1.6172	3912.85	241.04	-0.20
23	2010/03/22	10:31:52	1.6978	3911.51	240.86	10:31:53	1.6978	3912.87	241.12	-0.20
24	2010/03/22	10:36:42	1.7783	3911.51	240.93	10:36:43	1.7783	3912.86	241.18	-0.20
25	2010/03/22	10:41:32	1.8589	3911.52	240.99	10:41:33	1.8589	3912.88	241.24	-0.20
26	2010/03/22	10:46:22	1.9394	3911.54	241.04	10:46:23	1.9394	3912.89	241.29	-0.20
27	2010/03/22	10:51:12	2.0200	3911.51	241.09	10:51:13	2.0200	3912.88	241.34	-0.20
28	2010/03/22	10:56:02	2.1006	3911.52	241.13	10:56:03	2.1006	3912.89	241.38	-0.20
29	2010/03/22	11:00:52	2.1811	3911.51	241.16	11:00:53	2.1811	3912.87	241.42	-0.20
30	2010/03/22	11:05:42	2.2617	3911.50	241.20	11:05:43	2.2617	3912.87	241.46	-0.20
31	2010/03/22	11:10:32	2.3422	3911.47	241.23	11:10:33	2.3422	3912.84	241.49	-0.20
32	2010/03/22	11:15:22	2.4228	3911.45	241.26	11:15:23	2.4228	3912.83	241.52	-0.20
33	2010/03/22	11:20:12	2.5033	3911.46	241.28	11:20:13	2.5033	3912.81	241.54	-0.20
34	2010/03/22	11:25:02	2.5839	3911.43	241.31	11:25:03	2.5839	3912.80	241.57	-0.20
35	2010/03/22	11:29:52	2.6644	3911.42	241.33	11:29:53	2.6644	3912.78	241.59	-0.20
36	2010/03/22	11:34:42	2.7450	3911.39	241.35	11:34:43	2.7450	3912.77	241.61	-0.20
37	2010/03/22	11:39:32	2.8256	3911.38	241.37	11:39:33	2.8256	3912.73	241.63	-0.20
38	2010/03/22	11:44:22	2.9061	3911.35	241.39	11:44:23	2.9061	3912.71	241.65	-0.20
39	2010/03/22	11:49:12	2.9867	3911.33	241.40	11:49:13	2.9867	3912.69	241.66	-0.20
40	2010/03/22	11:54:02	3.0672	3911.28	241.42	11:54:03	3.0672	3912.67	241.68	-0.20
41	2010/03/22	11:58:52	3.1478	3911.26	241.43	11:58:53	3.1478	3912.64	241.69	-0.20
42	2010/03/22	12:03:42	3.2283	3911.25	241.45	12:03:43	3.2283	3912.63	241.71	-0.20
43	2010/03/22	12:08:32	3.3089	3911.23	241.46	12:08:33	3.3089	3912.60	241.72	-0.20
44	2010/03/22	12:13:22	3.3894	3911.24	241.47	12:13:23	3.3894	3912.58	241.74	-0.19

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00
 Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00
 Print Filter: Print every 29th point

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
45	2010/03/22	12:18:12	3.4700	3911.19	241.48	12:18:13	3.4700	3912.54	241.75	-0.20
46	2010/03/22	12:23:02	3.5506	3911.16	241.50	12:23:03	3.5506	3912.52	241.76	-0.20
47	2010/03/22	12:27:52	3.6311	3911.20	241.51	12:27:53	3.6311	3912.49	241.77	-0.19
48	2010/03/22	12:32:42	3.7117	3911.14	241.52	12:32:43	3.7117	3912.47	241.78	-0.19
49	2010/03/22	12:37:32	3.7922	3911.10	241.53	12:37:33	3.7922	3912.44	241.79	-0.19
50	2010/03/22	12:42:22	3.8728	3911.11	241.54	12:42:23	3.8728	3912.40	241.80	-0.19
51	2010/03/22	12:47:12	3.9533	3911.01	241.54	12:47:13	3.9533	3912.38	241.81	-0.20
52	2010/03/22	12:52:02	4.0339	3911.00	241.55	12:52:03	4.0339	3912.34	241.82	-0.19
53	2010/03/22	12:56:52	4.1144	3910.96	241.56	12:56:53	4.1144	3912.32	241.83	-0.20
54	2010/03/22	13:01:42	4.1950	3910.95	241.57	13:01:43	4.1950	3912.29	241.83	-0.20
55	2010/03/22	13:06:32	4.2756	3910.94	241.57	13:06:33	4.2756	3912.25	241.84	-0.19
56	2010/03/22	13:11:22	4.3561	3910.89	241.58	13:11:23	4.3561	3912.22	241.85	-0.19
57	2010/03/22	13:16:12	4.4367	3910.88	241.59	13:16:13	4.4367	3912.20	241.86	-0.19
58	2010/03/22	13:21:02	4.5172	3910.82	241.59	13:21:03	4.5172	3912.18	241.86	-0.20
59	2010/03/22	13:25:52	4.5978	3910.82	241.60	13:25:53	4.5978	3912.15	241.87	-0.19
60	2010/03/22	13:30:42	4.6783	3910.78	241.61	13:30:43	4.6783	3912.13	241.88	-0.20
61	2010/03/22	13:35:32	4.7589	3910.76	241.61	13:35:33	4.7589	3912.09	241.88	-0.19
62	2010/03/22	13:40:22	4.8394	3910.73	241.62	13:40:23	4.8394	3912.07	241.89	-0.19
63	2010/03/22	13:45:12	4.9200	3910.72	241.62	13:45:13	4.9200	3912.05	241.90	-0.19
64	2010/03/22	13:50:02	5.0006	3910.68	241.63	13:50:03	5.0006	3912.02	241.90	-0.19
65	2010/03/22	13:54:52	5.0811	3910.65	241.63	13:54:53	5.0811	3911.99	241.91	-0.19
66	2010/03/22	13:59:42	5.1617	3910.63	241.64	13:59:43	5.1617	3911.96	241.91	-0.19
67	2010/03/22	14:04:32	5.2422	3910.61	241.64	14:04:33	5.2422	3911.93	241.92	-0.19
68	2010/03/22	14:09:22	5.3228	3910.57	241.65	14:09:23	5.3228	3911.88	241.92	-0.19
69	2010/03/22	14:14:12	5.4033	3910.56	241.65	14:14:13	5.4033	3911.86	241.93	-0.19
70	2010/03/22	14:19:02	5.4839	3910.53	241.66	14:19:03	5.4839	3911.83	241.93	-0.19
71	2010/03/22	14:23:52	5.5644	3910.49	241.66	14:23:53	5.5644	3911.81	241.94	-0.19
72	2010/03/22	14:28:42	5.6450	3910.46	241.67	14:28:43	5.6450	3911.78	241.94	-0.19
73	2010/03/22	14:33:32	5.7256	3910.43	241.67	14:33:33	5.7256	3911.76	241.95	-0.19
74	2010/03/22	14:38:22	5.8061	3910.40	241.68	14:38:23	5.8061	3911.74	241.95	-0.19
75	2010/03/22	14:43:12	5.8867	3910.38	241.68	14:43:13	5.8867	3911.70	241.96	-0.19
76	2010/03/22	14:48:02	5.9672	3910.35	241.68	14:48:03	5.9672	3911.67	241.96	-0.19
77	2010/03/22	14:52:52	6.0478	3910.33	241.69	14:52:53	6.0478	3911.66	241.97	-0.19
78	2010/03/22	14:57:42	6.1283	3910.31	241.69	14:57:43	6.1283	3911.63	241.97	-0.19
79	2010/03/22	15:02:32	6.2089	3910.29	241.69	15:02:33	6.2089	3911.60	241.97	-0.19
80	2010/03/22	15:07:22	6.2894	3910.26	241.70	15:07:23	6.2894	3911.58	241.98	-0.19
81	2010/03/22	15:12:12	6.3700	3910.24	241.70	15:12:13	6.3700	3911.56	241.98	-0.19
82	2010/03/22	15:17:02	6.4506	3910.20	241.71	15:17:03	6.4506	3911.53	241.99	-0.19
83	2010/03/22	15:21:52	6.5311	3910.18	241.71	15:21:53	6.5311	3911.49	241.99	-0.19
84	2010/03/22	15:26:42	6.6117	3910.15	241.71	15:26:43	6.6117	3911.45	241.99	-0.19
85	2010/03/22	15:31:32	6.6922	3910.14	241.72	15:31:33	6.6922	3911.43	242.00	-0.19
86	2010/03/22	15:36:22	6.7728	3910.11	241.72	15:36:23	6.7728	3911.41	242.00	-0.19
87	2010/03/22	15:41:12	6.8533	3910.08	241.72	15:41:13	6.8533	3911.37	242.00	-0.19
88	2010/03/22	15:46:02	6.9339	3910.05	241.73	15:46:03	6.9339	3911.35	242.01	-0.19

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00
Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00
Print Filter: Print every 29th point

Wattenburg Disposal
 SE NW Sec 10 T1N R67W
 Start Test Date: 2010/03/22
 Final Test Date: 2010/03/29

Suckla Farms Injection #1
 Formation: Lyons
 Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Top G1 - G2 psi
89	2010/03/22	15:50:52	7.0144	3910.02	241.73	15:50:53	7.0144	3911.33	242.01	-0.19
90	2010/03/22	15:55:42	7.0950	3909.98	241.73	15:55:43	7.0950	3911.30	242.01	-0.19
91	2010/03/22	16:00:32	7.1756	3909.97	241.73	16:00:33	7.1756	3911.30	242.02	-0.19
92	2010/03/22	16:05:22	7.2561	3909.95	241.74	16:05:23	7.2561	3911.25	242.02	-0.19
93	2010/03/22	16:10:12	7.3367	3909.92	241.74	16:10:13	7.3367	3911.24	242.02	-0.19
94	2010/03/22	16:15:02	7.4172	3909.89	241.74	16:15:03	7.4172	3911.22	242.03	-0.19
95	2010/03/22	16:19:52	7.4978	3909.89	241.75	16:19:53	7.4978	3911.19	242.03	-0.19
96	2010/03/22	16:24:42	7.5783	3909.87	241.75	16:24:43	7.5783	3911.17	242.03	-0.19
97	2010/03/22	16:29:32	7.6589	3909.84	241.75	16:29:33	7.6589	3911.14	242.04	-0.19
98	2010/03/22	16:34:22	7.7394	3909.81	241.76	16:34:23	7.7394	3911.12	242.04	-0.19
99	2010/03/22	16:39:12	7.8200	3909.79	241.76	16:39:13	7.8200	3911.09	242.04	-0.19
100	2010/03/22	16:44:02	7.9006	3909.77	241.76	16:44:03	7.9006	3911.06	242.05	-0.19
101	2010/03/22	16:48:52	7.9811	3909.75	241.76	16:48:53	7.9811	3911.03	242.05	-0.19
102	2010/03/22	16:53:42	8.0617	3909.71	241.77	16:53:43	8.0617	3910.99	242.05	-0.19
103	2010/03/22	16:58:32	8.1422	3909.70	241.77	16:58:33	8.1422	3910.98	242.06	-0.19
104	2010/03/22	17:03:22	8.2228	3909.67	241.77	17:03:23	8.2228	3910.95	242.06	-0.19
105	2010/03/22	17:08:12	8.3033	3909.66	241.77	17:08:13	8.3033	3910.92	242.06	-0.18
106	2010/03/22	17:13:02	8.3839	3909.62	241.78	17:13:03	8.3839	3910.90	242.07	-0.18
107	2010/03/22	17:17:52	8.4644	3909.60	241.78	17:17:53	8.4644	3910.88	242.07	-0.19
108	2010/03/22	17:22:42	8.5450	3909.62	241.78	17:22:43	8.5450	3910.89	242.07	-0.18
109	2010/03/22	17:27:32	8.6256	3909.58	241.79	17:27:33	8.6256	3910.87	242.07	-0.19
110	2010/03/22	17:32:22	8.7061	3909.56	241.79	17:32:23	8.7061	3910.84	242.08	-0.19
111	2010/03/22	17:37:12	8.7867	3909.55	241.79	17:37:13	8.7867	3910.82	242.08	-0.18
112	2010/03/22	17:42:02	8.8672	3909.51	241.79	17:42:03	8.8672	3910.80	242.08	-0.19
113	2010/03/22	17:46:52	8.9478	3909.49	241.80	17:46:53	8.9478	3910.77	242.09	-0.19
114	2010/03/22	17:51:42	9.0283	3909.47	241.80	17:51:43	9.0283	3910.75	242.09	-0.19
115	2010/03/22	17:56:32	9.1089	3909.44	241.80	17:56:33	9.1089	3910.73	242.09	-0.19
116	2010/03/22	18:01:22	9.1894	3909.43	241.80	18:01:23	9.1894	3910.71	242.09	-0.19
117	2010/03/22	18:06:12	9.2700	3909.39	241.81	18:06:13	9.2700	3910.68	242.10	-0.19
118	2010/03/22	18:11:02	9.3506	3909.36	241.81	18:11:03	9.3506	3910.65	242.10	-0.19
119	2010/03/22	18:15:52	9.4311	3909.33	241.81	18:15:53	9.4311	3910.62	242.10	-0.19
120	2010/03/22	18:20:42	9.5117	3909.31	241.81	18:20:43	9.5117	3910.58	242.10	-0.18
121	2010/03/22	18:25:32	9.5922	3909.28	241.82	18:25:33	9.5922	3910.55	242.11	-0.18
122	2010/03/22	18:30:22	9.6728	3909.26	241.82	18:30:23	9.6728	3910.52	242.11	-0.18
123	2010/03/22	18:35:12	9.7533	3909.21	241.82	18:35:13	9.7533	3910.50	242.11	-0.19
124	2010/03/22	18:40:02	9.8339	3909.21	241.82	18:40:03	9.8339	3910.47	242.11	-0.18
125	2010/03/22	18:44:52	9.9144	3909.18	241.82	18:44:53	9.9144	3910.44	242.12	-0.18
126	2010/03/22	18:49:42	9.9950	3909.16	241.83	18:49:43	9.9950	3910.42	242.12	-0.18
127	2010/03/22	18:54:32	10.0756	3909.14	241.83	18:54:33	10.0756	3910.40	242.12	-0.18
128	2010/03/22	18:59:22	10.1561	3909.10	241.83	18:59:23	10.1561	3910.37	242.12	-0.18
129	2010/03/22	19:04:12	10.2367	3909.05	241.84	19:04:13	10.2367	3910.32	242.13	-0.18
130	2010/03/22	19:09:02	10.3172	3908.99	241.84	19:09:03	10.3172	3910.27	242.13	-0.19
131	2010/03/22	19:13:52	10.3978	3908.97	241.84	19:13:53	10.3978	3910.24	242.13	-0.18
132	2010/03/22	19:18:42	10.4783	3908.94	241.84	19:18:43	10.4783	3910.21	242.13	-0.18

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Top G1 - G2 psi
133	2010/03/22	19:23:32	10.5589	3908.92	241.84	19:23:33	10.5589	3910.18	242.13	-0.18
134	2010/03/22	19:28:22	10.6394	3908.89	241.85	19:28:23	10.6394	3910.16	242.14	-0.18
135	2010/03/22	19:33:12	10.7200	3908.85	241.85	19:33:13	10.7200	3910.13	242.14	-0.18
136	2010/03/22	19:38:02	10.8006	3908.84	241.85	19:38:03	10.8006	3910.11	242.14	-0.19
137	2010/03/22	19:42:52	10.8811	3908.80	241.85	19:42:53	10.8811	3910.08	242.14	-0.18
138	2010/03/22	19:47:42	10.9617	3908.77	241.85	19:47:43	10.9617	3910.03	242.15	-0.18
139	2010/03/22	19:52:32	11.0422	3908.74	241.86	19:52:33	11.0422	3910.01	242.15	-0.18
140	2010/03/22	19:57:22	11.1228	3908.71	241.86	19:57:23	11.1228	3909.98	242.15	-0.18
141	2010/03/22	20:02:12	11.2033	3908.68	241.86	20:02:13	11.2033	3909.96	242.15	-0.19
142	2010/03/22	20:07:02	11.2839	3908.66	241.86	20:07:03	11.2839	3909.93	242.16	-0.18
143	2010/03/22	20:11:52	11.3644	3908.64	241.87	20:11:53	11.3644	3909.90	242.16	-0.18
144	2010/03/22	20:16:42	11.4450	3908.62	241.87	20:16:43	11.4450	3909.89	242.16	-0.18
145	2010/03/22	20:21:32	11.5256	3908.59	241.87	20:21:33	11.5256	3909.86	242.16	-0.18
146	2010/03/22	20:26:22	11.6061	3908.58	241.87	20:26:23	11.6061	3909.84	242.16	-0.18
147	2010/03/22	20:31:12	11.6867	3908.55	241.87	20:31:13	11.6867	3909.81	242.17	-0.18
148	2010/03/22	20:36:02	11.7672	3908.53	241.88	20:36:03	11.7672	3909.78	242.17	-0.18
149	2010/03/22	20:40:52	11.8478	3908.51	241.88	20:40:53	11.8478	3909.75	242.17	-0.18
150	2010/03/22	20:45:42	11.9283	3908.45	241.88	20:45:43	11.9283	3909.74	242.17	-0.19
151	2010/03/22	20:50:32	12.0089	3908.43	241.88	20:50:33	12.0089	3909.72	242.18	-0.19
152	2010/03/22	20:55:22	12.0894	3908.40	241.88	20:55:23	12.0894	3909.70	242.18	-0.19
153	2010/03/22	21:00:12	12.1700	3908.37	241.89	21:00:13	12.1700	3909.67	242.18	-0.19
154	2010/03/22	21:05:02	12.2506	3908.37	241.89	21:05:03	12.2506	3909.64	242.18	-0.18
155	2010/03/22	21:09:52	12.3311	3908.35	241.89	21:09:53	12.3311	3909.62	242.19	-0.18
156	2010/03/22	21:14:42	12.4117	3908.33	241.89	21:14:43	12.4117	3909.60	242.19	-0.18
157	2010/03/22	21:19:32	12.4922	3908.31	241.89	21:19:33	12.4922	3909.57	242.19	-0.18
158	2010/03/22	21:24:22	12.5728	3908.30	241.90	21:24:23	12.5728	3909.53	242.19	-0.18
159	2010/03/22	21:29:12	12.6533	3908.26	241.90	21:29:13	12.6533	3909.51	242.19	-0.18
160	2010/03/22	21:34:02	12.7339	3908.25	241.90	21:34:03	12.7339	3909.48	242.20	-0.18
161	2010/03/22	21:38:52	12.8144	3908.22	241.90	21:38:53	12.8144	3909.47	242.20	-0.18
162	2010/03/22	21:43:42	12.8950	3908.19	241.90	21:43:43	12.8950	3909.44	242.20	-0.18
163	2010/03/22	21:48:32	12.9756	3908.18	241.91	21:48:33	12.9756	3909.42	242.20	-0.18
164	2010/03/22	21:53:22	13.0561	3908.17	241.91	21:53:23	13.0561	3909.41	242.20	-0.18
165	2010/03/22	21:58:12	13.1367	3908.15	241.91	21:58:13	13.1367	3909.38	242.21	-0.18
166	2010/03/22	22:03:02	13.2172	3908.13	241.91	22:03:03	13.2172	3909.36	242.21	-0.18
167	2010/03/22	22:07:52	13.2978	3908.10	241.91	22:07:53	13.2978	3909.33	242.21	-0.18
168	2010/03/22	22:12:42	13.3783	3908.08	241.92	22:12:43	13.3783	3909.31	242.21	-0.18
169	2010/03/22	22:17:32	13.4589	3908.05	241.92	22:17:33	13.4589	3909.29	242.22	-0.18
170	2010/03/22	22:22:22	13.5394	3908.03	241.92	22:22:23	13.5394	3909.27	242.22	-0.18
171	2010/03/22	22:27:12	13.6200	3908.00	241.92	22:27:13	13.6200	3909.25	242.22	-0.18
172	2010/03/22	22:32:02	13.7006	3907.97	241.92	22:32:03	13.7006	3909.22	242.22	-0.18
173	2010/03/22	22:36:52	13.7811	3907.94	241.93	22:36:53	13.7811	3909.20	242.22	-0.18
174	2010/03/22	22:41:42	13.8617	3907.92	241.93	22:41:43	13.8617	3909.19	242.23	-0.18
175	2010/03/22	22:46:32	13.9422	3907.91	241.93	22:46:33	13.9422	3909.16	242.23	-0.18
176	2010/03/22	22:51:22	14.0228	3907.89	241.93	22:51:23	14.0228	3909.14	242.23	-0.18

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00
Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00
Print Filter: Print every 29th point

Wattenburg Disposal
 SE NW Sec 10 T1N R67W
 Start Test Date: 2010/03/22
 Final Test Date: 2010/03/29

Suckla Farms Injection #1
 Formation: Lyons
 Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
177	2010/03/22	22:56:12	14.1033	3907.87	241.93	22:56:13	14.1033	3909.12	242.23	-0.18
178	2010/03/22	23:01:02	14.1839	3907.86	241.94	23:01:03	14.1839	3909.10	242.23	-0.18
179	2010/03/22	23:05:52	14.2644	3907.80	241.94	23:05:53	14.2644	3909.07	242.24	-0.18
180	2010/03/22	23:10:42	14.3450	3907.80	241.94	23:10:43	14.3450	3909.04	242.24	-0.18
181	2010/03/22	23:15:32	14.4256	3907.78	241.94	23:15:33	14.4256	3909.01	242.24	-0.18
182	2010/03/22	23:20:22	14.5061	3907.77	241.94	23:20:23	14.5061	3908.98	242.24	-0.18
183	2010/03/22	23:25:12	14.5867	3907.73	241.95	23:25:13	14.5867	3908.96	242.24	-0.18
184	2010/03/22	23:30:02	14.6672	3907.70	241.95	23:30:03	14.6672	3908.93	242.25	-0.18
185	2010/03/22	23:34:52	14.7478	3907.67	241.95	23:34:53	14.7478	3908.92	242.25	-0.18
186	2010/03/22	23:39:42	14.8283	3907.52	241.92	23:39:43	14.8283	3908.91	242.25	-0.20
187	2010/03/22	23:44:32	14.9089	3907.61	241.93	23:44:33	14.9089	3908.88	242.25	-0.18
188	2010/03/22	23:49:22	14.9894	3907.57	241.92	23:49:23	14.9894	3908.86	242.25	-0.19
189	2010/03/22	23:54:12	15.0700	3907.52	241.93	23:54:13	15.0700	3908.84	242.26	-0.19
190	2010/03/22	23:59:02	15.1506	3907.53	241.93	23:59:03	15.1506	3908.81	242.26	-0.19
191	2010/03/23	00:03:52	15.2311	3907.51	241.93	00:03:53	15.2311	3908.80	242.26	-0.19
192	2010/03/23	00:08:42	15.3117	3907.45	241.93	00:08:43	15.3117	3908.76	242.26	-0.19
193	2010/03/23	00:13:32	15.3922	3907.39	241.94	00:13:33	15.3922	3908.74	242.26	-0.19
194	2010/03/23	00:18:22	15.4728	3907.36	241.94	00:18:23	15.4728	3908.72	242.26	-0.20
195	2010/03/23	00:23:12	15.5533	3907.35	241.94	00:23:13	15.5533	3908.70	242.27	-0.20
196	2010/03/23	00:28:02	15.6339	3907.31	241.94	00:28:03	15.6339	3908.67	242.27	-0.20
197	2010/03/23	00:32:52	15.7144	3907.29	241.95	00:32:53	15.7144	3908.66	242.27	-0.20
198	2010/03/23	00:37:42	15.7950	3907.24	241.94	00:37:43	15.7950	3908.62	242.27	-0.20
199	2010/03/23	00:42:32	15.8756	3907.31	241.95	00:42:33	15.8756	3908.60	242.27	-0.19
200	2010/03/23	00:47:22	15.9561	3907.21	241.96	00:47:23	15.9561	3908.58	242.28	-0.20
201	2010/03/23	00:52:12	16.0367	3907.19	241.95	00:52:13	16.0367	3908.56	242.28	-0.20
202	2010/03/23	00:57:02	16.1172	3907.22	241.97	00:57:03	16.1172	3908.53	242.28	-0.19
203	2010/03/23	01:01:52	16.1978	3907.21	241.96	01:01:53	16.1978	3908.50	242.28	-0.19
204	2010/03/23	01:06:42	16.2783	3907.15	241.96	01:06:43	16.2783	3908.46	242.28	-0.19
205	2010/03/23	01:11:32	16.3589	3907.13	241.97	01:11:33	16.3589	3908.44	242.29	-0.19
206	2010/03/23	01:16:22	16.4394	3907.08	241.96	01:16:23	16.4394	3908.42	242.29	-0.19
207	2010/03/23	01:21:12	16.5200	3907.05	241.97	01:21:13	16.5200	3908.39	242.29	-0.19
208	2010/03/23	01:26:02	16.6006	3907.06	241.97	01:26:03	16.6006	3908.37	242.29	-0.19
209	2010/03/23	01:30:52	16.6811	3907.05	241.98	01:30:53	16.6811	3908.35	242.29	-0.19
210	2010/03/23	01:35:42	16.7617	3906.99	241.97	01:35:43	16.7617	3908.33	242.30	-0.19
211	2010/03/23	01:40:32	16.8422	3907.00	241.97	01:40:33	16.8422	3908.30	242.30	-0.19
212	2010/03/23	01:45:22	16.9228	3906.97	241.97	01:45:23	16.9228	3908.29	242.30	-0.19
213	2010/03/23	01:50:12	17.0033	3906.92	241.97	01:50:13	17.0033	3908.26	242.30	-0.20
214	2010/03/23	01:55:02	17.0839	3906.92	241.99	01:55:03	17.0839	3908.24	242.30	-0.19
215	2010/03/23	01:59:52	17.1644	3906.88	241.98	01:59:53	17.1644	3908.21	242.30	-0.19
216	2010/03/23	02:04:42	17.2450	3906.83	241.97	02:04:43	17.2450	3908.19	242.31	-0.20
217	2010/03/23	02:09:32	17.3256	3906.92	241.98	02:09:33	17.3256	3908.16	242.31	-0.18
218	2010/03/23	02:14:22	17.4061	3906.82	241.99	02:14:23	17.4061	3908.16	242.31	-0.19
219	2010/03/23	02:19:12	17.4867	3906.76	241.98	02:19:13	17.4867	3908.13	242.31	-0.20
220	2010/03/23	02:24:02	17.5672	3906.82	241.98	02:24:03	17.5672	3908.10	242.31	-0.19

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
221	2010/03/23	02:28:52	17.6478	3906.73	241.98	02:28:53	17.6478	3908.08	242.32	-0.20
222	2010/03/23	02:33:42	17.7283	3906.74	241.99	02:33:43	17.7283	3908.05	242.32	-0.19
223	2010/03/23	02:38:32	17.8089	3906.71	241.99	02:38:33	17.8089	3908.03	242.32	-0.19
224	2010/03/23	02:43:22	17.8894	3906.69	242.00	02:43:23	17.8894	3907.99	242.32	-0.19
225	2010/03/23	02:48:12	17.9700	3906.67	242.01	02:48:13	17.9700	3907.96	242.32	-0.19
226	2010/03/23	02:53:02	18.0506	3906.68	242.01	02:53:03	18.0506	3907.93	242.32	-0.18
227	2010/03/23	02:57:52	18.1311	3906.63	242.00	02:57:53	18.1311	3907.91	242.33	-0.19
228	2010/03/23	03:02:42	18.2117	3906.61	242.00	03:02:43	18.2117	3907.89	242.33	-0.18
229	2010/03/23	03:07:32	18.2922	3906.55	242.01	03:07:33	18.2922	3907.87	242.33	-0.19
230	2010/03/23	03:12:22	18.3728	3906.53	242.02	03:12:23	18.3728	3907.84	242.33	-0.19
231	2010/03/23	03:17:12	18.4533	3906.49	241.99	03:17:13	18.4533	3907.83	242.33	-0.19
232	2010/03/23	03:22:02	18.5339	3906.45	241.93	03:22:03	18.5339	3907.80	242.34	-0.19
233	2010/03/23	03:26:52	18.6144	3906.48	242.00	03:26:53	18.6144	3907.77	242.34	-0.19
234	2010/03/23	03:31:42	18.6950	3906.41	241.97	03:31:43	18.6950	3907.75	242.34	-0.19
235	2010/03/23	03:36:32	18.7756	3906.39	241.99	03:36:33	18.7756	3907.73	242.34	-0.19
236	2010/03/23	03:41:22	18.8561	3906.42	242.02	03:41:23	18.8561	3907.70	242.34	-0.19
237	2010/03/23	03:46:12	18.9367	3906.37	241.99	03:46:13	18.9367	3907.69	242.35	-0.19
238	2010/03/23	03:51:02	19.0172	3906.34	241.96	03:51:03	19.0172	3907.67	242.35	-0.19
239	2010/03/23	03:55:52	19.0978	3906.23	241.94	03:55:53	19.0978	3907.65	242.35	-0.21
240	2010/03/23	04:00:42	19.1783	3906.30	242.02	04:00:43	19.1783	3907.63	242.35	-0.19
241	2010/03/23	04:05:32	19.2589	3906.31	242.02	04:05:33	19.2589	3907.61	242.35	-0.19
242	2010/03/23	04:10:22	19.3394	3906.28	242.02	04:10:23	19.3394	3907.59	242.35	-0.19
243	2010/03/23	04:15:12	19.4200	3906.24	241.98	04:15:13	19.4200	3907.57	242.36	-0.19
244	2010/03/23	04:20:02	19.5006	3906.26	242.03	04:20:03	19.5006	3907.54	242.36	-0.19
245	2010/03/23	04:24:52	19.5811	3906.25	242.03	04:24:53	19.5811	3907.52	242.36	-0.18
246	2010/03/23	04:29:42	19.6617	3906.17	242.03	04:29:43	19.6617	3907.49	242.36	-0.19
247	2010/03/23	04:34:32	19.7422	3906.16	242.03	04:34:33	19.7422	3907.47	242.36	-0.19
248	2010/03/23	04:39:22	19.8228	3906.11	242.02	04:39:23	19.8228	3907.43	242.37	-0.19
249	2010/03/23	04:44:12	19.9033	3906.15	242.03	04:44:13	19.9033	3907.39	242.37	-0.18
250	2010/03/23	04:49:02	19.9839	3906.03	242.03	04:49:03	19.9839	3907.37	242.37	-0.19
251	2010/03/23	04:53:52	20.0644	3906.03	242.01	04:53:53	20.0644	3907.34	242.37	-0.19
252	2010/03/23	04:58:42	20.1450	3906.05	242.03	04:58:43	20.1450	3907.32	242.37	-0.18
253	2010/03/23	05:03:32	20.2256	3905.96	242.01	05:03:33	20.2256	3907.29	242.37	-0.19
254	2010/03/23	05:08:22	20.3061	3905.96	242.04	05:08:23	20.3061	3907.26	242.38	-0.19
255	2010/03/23	05:13:12	20.3867	3905.92	242.03	05:13:13	20.3867	3907.24	242.38	-0.19
256	2010/03/23	05:18:02	20.4672	3905.92	242.05	05:18:03	20.4672	3907.22	242.38	-0.19
257	2010/03/23	05:22:52	20.5478	3905.88	242.03	05:22:53	20.5478	3907.20	242.38	-0.19
258	2010/03/23	05:27:42	20.6283	3905.90	242.04	05:27:43	20.6283	3907.18	242.38	-0.19
259	2010/03/23	05:32:32	20.7089	3905.77	241.99	05:32:33	20.7089	3907.15	242.38	-0.20
260	2010/03/23	05:37:22	20.7894	3905.83	242.04	05:37:23	20.7894	3907.13	242.39	-0.19
261	2010/03/23	05:42:12	20.8700	3905.75	242.05	05:42:13	20.8700	3907.11	242.39	-0.20
262	2010/03/23	05:47:02	20.9506	3908.03	242.07	05:47:03	20.9506	3909.33	242.39	-0.19
263	2010/03/23	05:51:52	21.0311	3908.25	242.13	05:51:53	21.0311	3909.63	242.46	-0.20
264	2010/03/23	05:56:42	21.1117	3908.16	242.22	05:56:43	21.1117	3909.45	242.55	-0.19

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00
Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00
Print Filter: Print every 29th point

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
265	2010/03/23	06:01:32	21.1922	3908.83	242.30	06:01:33	21.1922	3909.70	242.62	-0.13
266	2010/03/23	06:06:22	21.2728	3912.22	242.51	06:06:23	21.2728	3913.46	242.79	-0.18
267	2010/03/23	06:11:12	21.3533	3911.73	242.66	06:11:13	21.3533	3913.01	242.96	-0.19
268	2010/03/23	06:16:02	21.4339	3911.41	242.77	06:16:03	21.4339	3912.74	243.07	-0.19
269	2010/03/23	06:20:52	21.5144	3911.19	242.87	06:20:53	21.5144	3912.45	243.13	-0.18
270	2010/03/23	06:25:42	21.5950	3910.86	242.92	06:25:43	21.5950	3912.13	243.16	-0.19
271	2010/03/23	06:30:32	21.6756	3910.60	242.94	06:30:33	21.6756	3911.90	243.17	-0.19
272	2010/03/23	06:35:22	21.7561	3910.47	242.94	06:35:23	21.7561	3911.72	243.16	-0.18
273	2010/03/23	06:40:12	21.8367	3910.44	242.93	06:40:13	21.8367	3911.77	243.15	-0.19
274	2010/03/23	06:45:02	21.9172	3910.35	242.94	06:45:03	21.9172	3911.62	243.14	-0.18
275	2010/03/23	06:49:52	21.9978	3910.34	242.91	06:49:53	21.9978	3911.61	243.12	-0.18
276	2010/03/23	06:54:42	22.0783	3910.39	242.89	06:54:43	22.0783	3911.65	243.11	-0.18
277	2010/03/23	06:59:32	22.1589	3911.91	242.89	06:59:33	22.1589	3912.98	243.10	-0.15
278	2010/03/23	07:04:22	22.2394	4245.59	236.85	07:04:23	22.2394	4245.77	237.02	0.06
279	2010/03/23	07:09:12	22.3200	4322.70	224.09	07:09:13	22.3200	4325.13	223.77	-0.35
280	2010/03/23	07:14:02	22.4006	4334.25	213.24	07:14:03	22.4006	4336.93	213.02	-0.39
281	2010/03/23	07:18:52	22.4811	4332.49	205.36	07:18:53	22.4811	4336.01	205.12	-0.51
282	2010/03/23	07:23:42	22.5617	4322.37	199.43	07:23:43	22.5617	4325.83	199.20	-0.51
283	2010/03/23	07:28:32	22.6422	4313.06	194.71	07:28:33	22.6422	4316.76	194.53	-0.54
284	2010/03/23	07:33:22	22.7228	4313.10	191.22	07:33:23	22.7228	4316.63	191.06	-0.51
285	2010/03/23	07:38:12	22.8033	4302.52	188.11	07:38:13	22.8033	4306.00	188.04	-0.51
286	2010/03/23	07:43:02	22.8839	4302.11	184.91	07:43:03	22.8839	4305.24	184.88	-0.46
287	2010/03/23	07:47:52	22.9644	4293.97	182.16	07:47:53	22.9644	4297.26	182.16	-0.48
288	2010/03/23	07:52:42	23.0450	4291.99	179.77	07:52:43	23.0450	4294.84	179.78	-0.41
289	2010/03/23	07:57:32	23.1256	4291.56	177.58	07:57:33	23.1256	4294.43	177.64	-0.42
290	2010/03/23	08:02:22	23.2061	4291.73	175.62	08:02:23	23.2061	4294.43	175.70	-0.39
291	2010/03/23	08:07:12	23.2867	4289.04	173.80	08:07:13	23.2867	4291.69	173.93	-0.38
292	2010/03/23	08:12:02	23.3672	4288.60	172.24	08:12:03	23.3672	4291.02	172.30	-0.35
293	2010/03/23	08:16:52	23.4478	4287.96	170.71	08:16:53	23.4478	4290.32	170.78	-0.34
294	2010/03/23	08:21:42	23.5283	4288.35	169.31	08:21:43	23.5283	4290.55	169.37	-0.32
295	2010/03/23	08:26:32	23.6089	4288.50	167.99	08:26:33	23.6089	4290.59	168.06	-0.30
296	2010/03/23	08:31:22	23.6894	4289.03	166.76	08:31:23	23.6894	4291.08	166.83	-0.30
297	2010/03/23	08:36:12	23.7700	4289.79	165.54	08:36:13	23.7700	4291.70	165.68	-0.28
298	2010/03/23	08:41:02	23.8506	4290.76	164.52	08:41:03	23.8506	4292.40	164.59	-0.24
299	2010/03/23	08:45:52	23.9311	4291.48	163.43	08:45:53	23.9311	4293.18	163.56	-0.25
300	2010/03/23	08:50:42	24.0117	4291.82	162.48	08:50:43	24.0117	4293.53	162.60	-0.25
301	2010/03/23	08:55:32	24.0922	4292.44	161.60	08:55:33	24.0922	4293.92	161.69	-0.21
302	2010/03/23	09:00:22	24.1728	4292.81	160.70	09:00:23	24.1728	4294.25	160.81	-0.21
303	2010/03/23	09:05:12	24.2533	4294.21	159.89	09:05:13	24.2533	4295.59	159.99	-0.20
304	2010/03/23	09:10:02	24.3339	4295.21	159.04	09:10:03	24.3339	4296.62	159.19	-0.20
305	2010/03/23	09:14:52	24.4144	4295.75	158.31	09:14:53	24.4144	4297.04	158.42	-0.19
306	2010/03/23	09:19:42	24.4950	4296.14	157.60	09:19:43	24.4950	4297.18	157.67	-0.15
307	2010/03/23	09:24:32	24.5756	4296.19	156.85	09:24:33	24.5756	4297.27	156.96	-0.16
308	2010/03/23	09:29:22	24.6561	4297.11	156.24	09:29:23	24.6561	4298.06	156.29	-0.14

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00
Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00
Print Filter: Print every 29th point

Wattenburg Disposal
 SE NW Sec 10 T1N R67W
 Start Test Date: 2010/03/22
 Final Test Date: 2010/03/29

Suckla Farms Injection #1
 Formation: Lyons
 Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
309	2010/03/23	09:34:12	24.7367	4297.99	155.61	09:34:13	24.7367	4299.01	155.66	-0.15
310	2010/03/23	09:39:02	24.8172	4298.85	154.97	09:39:03	24.8172	4299.81	155.06	-0.14
311	2010/03/23	09:43:52	24.8978	4299.88	154.38	09:43:53	24.8978	4300.82	154.47	-0.14
312	2010/03/23	09:48:42	24.9783	4300.80	153.79	09:48:43	24.9783	4301.77	153.90	-0.14
313	2010/03/23	09:53:32	25.0589	4301.77	153.23	09:53:33	25.0589	4302.67	153.36	-0.13
314	2010/03/23	09:58:22	25.1394	4302.44	152.68	09:58:23	25.1394	4303.51	152.83	-0.15
315	2010/03/23	10:03:12	25.2200	4303.56	152.22	10:03:13	25.2200	4304.30	152.32	-0.11
316	2010/03/23	10:08:02	25.3006	4304.56	151.74	10:08:03	25.3006	4305.42	151.83	-0.12
317	2010/03/23	10:12:52	25.3811	4305.74	151.22	10:12:53	25.3811	4306.59	151.36	-0.12
318	2010/03/23	10:17:42	25.4617	4306.83	150.78	10:17:43	25.4617	4307.57	150.90	-0.11
319	2010/03/23	10:22:32	25.5422	4307.81	150.35	10:22:33	25.5422	4308.42	150.45	-0.09
320	2010/03/23	10:27:22	25.6228	4308.44	149.91	10:27:23	25.6228	4309.18	150.02	-0.11
321	2010/03/23	10:32:12	25.7033	4309.18	149.46	10:32:13	25.7033	4309.97	149.60	-0.11
322	2010/03/23	10:37:02	25.7839	4310.17	149.06	10:37:03	25.7839	4310.79	149.19	-0.09
323	2010/03/23	10:41:52	25.8644	4311.01	148.70	10:41:53	25.8644	4311.55	148.79	-0.08
324	2010/03/23	10:46:42	25.9450	4311.91	148.30	10:46:43	25.9450	4312.44	148.40	-0.08
325	2010/03/23	10:51:32	26.0256	4312.13	147.93	10:51:33	26.0256	4312.78	148.03	-0.10
326	2010/03/23	10:56:22	26.1061	4312.22	147.55	10:56:23	26.1061	4312.96	147.66	-0.11
327	2010/03/23	11:01:12	26.1867	4312.91	147.18	11:01:13	26.1867	4313.52	147.30	-0.09
328	2010/03/23	11:06:02	26.2672	4313.55	146.83	11:06:03	26.2672	4314.21	146.96	-0.10
329	2010/03/23	11:10:52	26.3478	4314.16	146.45	11:10:53	26.3478	4314.78	146.62	-0.09
330	2010/03/23	11:15:42	26.4283	4314.72	146.16	11:15:43	26.4283	4315.34	146.29	-0.09
331	2010/03/23	11:20:32	26.5089	4315.40	145.85	11:20:33	26.5089	4315.98	145.98	-0.08
332	2010/03/23	11:25:22	26.5894	4315.97	145.57	11:25:23	26.5894	4316.53	145.68	-0.08
333	2010/03/23	11:30:12	26.6700	4316.44	145.24	11:30:13	26.6700	4316.98	145.36	-0.08
334	2010/03/23	11:35:02	26.7506	4316.78	144.90	11:35:03	26.7506	4317.44	145.07	-0.09
335	2010/03/23	11:39:52	26.8311	4317.51	144.65	11:39:53	26.8311	4317.94	144.79	-0.06
336	2010/03/23	11:44:42	26.9117	4317.86	144.43	11:44:43	26.9117	4318.32	144.52	-0.07
337	2010/03/23	11:49:32	26.9922	4318.29	144.15	11:49:33	26.9922	4318.77	144.24	-0.07
338	2010/03/23	11:54:22	27.0728	4318.61	143.79	11:54:23	27.0728	4319.21	143.96	-0.09
339	2010/03/23	11:59:12	27.1533	4319.10	143.56	11:59:13	27.1533	4319.59	143.69	-0.07
340	2010/03/23	12:04:02	27.2339	4319.43	143.32	12:04:03	27.2339	4319.93	143.43	-0.07
341	2010/03/23	12:08:52	27.3144	4319.89	143.07	12:08:53	27.3144	4320.31	143.17	-0.06
342	2010/03/23	12:13:42	27.3950	4320.02	142.72	12:13:43	27.3950	4320.61	142.92	-0.09
343	2010/03/23	12:18:32	27.4756	4320.48	142.50	12:18:33	27.4756	4320.99	142.69	-0.07
344	2010/03/23	12:23:22	27.5561	4320.79	142.33	12:23:23	27.5561	4321.24	142.45	-0.07
345	2010/03/23	12:28:12	27.6367	4321.05	142.12	12:28:13	27.6367	4321.54	142.22	-0.07
346	2010/03/23	12:33:02	27.7172	4321.44	141.89	12:33:03	27.7172	4321.82	141.99	-0.06
347	2010/03/23	12:37:52	27.7978	4321.50	141.68	12:37:53	27.7978	4321.97	141.77	-0.07
348	2010/03/23	12:42:42	27.8783	4321.63	141.43	12:42:43	27.8783	4322.18	141.57	-0.08
349	2010/03/23	12:47:32	27.9589	4322.00	141.20	12:47:33	27.9589	4322.38	141.36	-0.05
350	2010/03/23	12:52:22	28.0394	4321.98	140.91	12:52:23	28.0394	4322.56	141.15	-0.08
351	2010/03/23	12:57:12	28.1200	4322.31	140.81	12:57:13	28.1200	4322.72	140.95	-0.06
352	2010/03/23	13:02:02	28.2006	4322.43	140.59	13:02:03	28.2006	4322.87	140.75	-0.06

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
 SE NW Sec 10 T1N R67W
 Start Test Date: 2010/03/22
 Final Test Date: 2010/03/29

Suckla Farms Injection #1
 Formation: Lyons
 Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
353	2010/03/23	13:06:52	28.2811	4322.68	140.37	13:06:53	28.2811	4323.09	140.55	-0.06
354	2010/03/23	13:11:42	28.3617	4322.84	140.19	13:11:43	28.3617	4323.27	140.36	-0.06
355	2010/03/23	13:16:32	28.4422	4323.06	140.05	13:16:33	28.4422	4323.38	140.17	-0.05
356	2010/03/23	13:21:22	28.5228	4323.07	139.82	13:21:23	28.5228	4323.44	139.98	-0.05
357	2010/03/23	13:26:12	28.6033	4323.19	139.64	13:26:13	28.6033	4323.61	139.80	-0.06
358	2010/03/23	13:31:02	28.6839	4323.40	139.52	13:31:03	28.6839	4323.70	139.62	-0.04
359	2010/03/23	13:35:52	28.7644	4323.46	139.29	13:35:53	28.7644	4323.82	139.44	-0.05
360	2010/03/23	13:40:42	28.8450	4323.51	139.14	13:40:43	28.8450	4323.89	139.26	-0.06
361	2010/03/23	13:45:32	28.9256	4323.49	138.95	13:45:33	28.9256	4323.97	139.09	-0.07
362	2010/03/23	13:50:22	29.0061	4323.41	138.73	13:50:23	29.0061	4324.02	138.92	-0.09
363	2010/03/23	13:55:12	29.0867	4323.36	138.57	13:55:13	29.0867	4323.91	138.76	-0.08
364	2010/03/23	14:00:02	29.1672	4323.52	138.40	14:00:03	29.1672	4324.06	138.61	-0.08
365	2010/03/23	14:04:52	29.2478	4323.78	138.32	14:04:53	29.2478	4324.11	138.44	-0.05
366	2010/03/23	14:09:42	29.3283	4323.69	138.13	14:09:43	29.3283	4324.14	138.28	-0.06
367	2010/03/23	14:14:32	29.4089	4323.69	137.92	14:14:33	29.4089	4324.14	138.13	-0.07
368	2010/03/23	14:19:22	29.4894	4323.94	137.86	14:19:23	29.4894	4324.11	137.97	-0.02
369	2010/03/23	14:24:12	29.5700	4323.80	137.72	14:24:13	29.5700	4324.11	137.82	-0.05
370	2010/03/23	14:29:02	29.6506	4323.68	137.55	14:29:03	29.6506	4324.04	137.68	-0.05
371	2010/03/23	14:33:52	29.7311	4323.61	137.43	14:33:53	29.7311	4324.02	137.54	-0.06
372	2010/03/23	14:38:42	29.8117	4323.65	137.30	14:38:43	29.8117	4324.08	137.40	-0.06
373	2010/03/23	14:43:32	29.8922	4323.75	137.13	14:43:33	29.8922	4324.12	137.27	-0.05
374	2010/03/23	14:48:22	29.9728	4323.76	137.02	14:48:23	29.9728	4324.07	137.13	-0.04
375	2010/03/23	14:53:12	30.0533	4323.84	136.90	14:53:13	30.0533	4324.15	137.00	-0.04
376	2010/03/23	14:58:02	30.1339	4323.84	136.77	14:58:03	30.1339	4324.10	136.87	-0.04
377	2010/03/23	15:02:52	30.2144	4323.67	136.59	15:02:53	30.2144	4324.03	136.73	-0.05
378	2010/03/23	15:07:42	30.2950	4323.66	136.51	15:07:43	30.2950	4324.03	136.61	-0.05
379	2010/03/23	15:12:32	30.3756	4323.66	136.40	15:12:33	30.3756	4323.98	136.48	-0.05
380	2010/03/23	15:17:22	30.4561	4323.63	136.24	15:17:23	30.4561	4323.95	136.36	-0.05
381	2010/03/23	15:22:12	30.5367	4323.63	136.09	15:22:13	30.5367	4323.94	136.23	-0.05
382	2010/03/23	15:27:02	30.6172	4323.55	136.00	15:27:03	30.6172	4323.87	136.11	-0.05
383	2010/03/23	15:31:52	30.6978	4323.48	135.84	15:31:53	30.6978	4323.88	135.99	-0.06
384	2010/03/23	15:36:42	30.7783	4323.64	135.77	15:36:43	30.7783	4323.88	135.88	-0.03
385	2010/03/23	15:41:32	30.8589	4323.74	135.64	15:41:33	30.8589	4324.00	135.77	-0.04
386	2010/03/23	15:46:22	30.9394	4323.90	135.52	15:46:23	30.9394	4324.09	135.65	-0.03
387	2010/03/23	15:51:12	31.0200	4323.84	135.37	15:51:13	31.0200	4324.19	135.54	-0.05
388	2010/03/23	15:56:02	31.1006	4323.93	135.30	15:56:03	31.1006	4324.21	135.43	-0.04
389	2010/03/23	16:00:52	31.1811	4324.05	135.21	16:00:53	31.1811	4324.33	135.32	-0.04
390	2010/03/23	16:05:42	31.2617	4324.07	134.99	16:05:43	31.2617	4324.63	135.21	-0.08
391	2010/03/23	16:10:32	31.3422	4324.92	135.01	16:10:33	31.3422	4325.22	135.11	-0.04
392	2010/03/23	16:15:22	31.4228	4325.02	134.88	16:15:23	31.4228	4325.38	135.00	-0.05
393	2010/03/23	16:20:12	31.5033	4325.01	134.77	16:20:13	31.5033	4325.46	134.90	-0.07
394	2010/03/23	16:25:02	31.5839	4325.21	134.70	16:25:03	31.5839	4325.52	134.79	-0.04
395	2010/03/23	16:29:52	31.6644	4325.15	134.58	16:29:53	31.6644	4325.53	134.68	-0.05
396	2010/03/23	16:34:42	31.7450	4325.20	134.47	16:34:43	31.7450	4325.53	134.58	-0.05

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
397	2010/03/23	16:39:32	31.8256	4325.39	134.38	16:39:33	31.8256	4325.74	134.47	-0.05
398	2010/03/23	16:44:22	31.9061	4325.45	134.26	16:44:23	31.9061	4325.79	134.36	-0.05
399	2010/03/23	16:49:12	31.9867	4325.40	134.16	16:49:13	31.9867	4325.74	134.25	-0.05
400	2010/03/23	16:54:02	32.0672	4325.30	134.07	16:54:03	32.0672	4325.63	134.16	-0.05
401	2010/03/23	16:58:52	32.1478	4325.27	133.97	16:58:53	32.1478	4325.60	134.05	-0.05
402	2010/03/23	17:03:42	32.2283	4325.26	133.85	17:03:43	32.2283	4325.55	133.94	-0.04
403	2010/03/23	17:08:32	32.3089	4325.23	133.73	17:08:33	32.3089	4325.44	133.82	-0.03
404	2010/03/23	17:13:22	32.3894	4324.99	133.55	17:13:23	32.3894	4325.43	133.71	-0.06
405	2010/03/23	17:18:12	32.4700	4325.00	133.45	17:18:13	32.4700	4325.39	133.59	-0.06
406	2010/03/23	17:23:02	32.5506	4325.04	133.39	17:23:03	32.5506	4325.29	133.48	-0.04
407	2010/03/23	17:27:52	32.6311	4324.73	133.26	17:27:53	32.6311	4325.03	133.38	-0.04
408	2010/03/23	17:32:42	32.7117	4324.68	133.18	17:32:43	32.7117	4324.94	133.28	-0.04
409	2010/03/23	17:37:32	32.7922	4324.81	133.11	17:37:33	32.7922	4324.95	133.19	-0.02
410	2010/03/23	17:42:22	32.8728	4324.77	133.01	17:42:23	32.8728	4324.92	133.08	-0.02
411	2010/03/23	17:47:12	32.9533	4324.65	132.87	17:47:13	32.9533	4324.90	132.98	-0.04
412	2010/03/23	17:52:02	33.0339	4324.62	132.79	17:52:03	33.0339	4324.80	132.88	-0.03
413	2010/03/23	17:56:52	33.1144	4324.56	132.68	17:56:53	33.1144	4324.75	132.78	-0.03
414	2010/03/23	18:01:42	33.1950	4324.52	132.58	18:01:43	33.1950	4324.80	132.68	-0.04
415	2010/03/23	18:06:32	33.2756	4324.53	132.46	18:06:33	33.2756	4324.82	132.57	-0.04
416	2010/03/23	18:11:22	33.3561	4324.55	132.38	18:11:23	33.3561	4324.81	132.47	-0.04
417	2010/03/23	18:16:12	33.4367	4324.46	132.25	18:16:13	33.4367	4324.76	132.37	-0.04
418	2010/03/23	18:21:02	33.5172	4324.40	132.12	18:21:03	33.5172	4324.74	132.27	-0.05
419	2010/03/23	18:25:52	33.5978	4324.34	132.04	18:25:53	33.5978	4324.69	132.17	-0.05
420	2010/03/23	18:30:42	33.6783	4324.34	131.96	18:30:43	33.6783	4324.67	132.08	-0.05
421	2010/03/23	18:35:32	33.7589	4324.29	131.88	18:35:33	33.7589	4324.61	131.99	-0.05
422	2010/03/23	18:40:22	33.8394	4324.20	131.74	18:40:23	33.8394	4324.51	131.90	-0.05
423	2010/03/23	18:45:12	33.9200	4324.13	131.66	18:45:13	33.9200	4324.46	131.82	-0.05
424	2010/03/23	18:50:02	34.0006	4323.95	131.57	18:50:03	34.0006	4324.41	131.73	-0.07
425	2010/03/23	18:54:52	34.0811	4324.08	131.51	18:54:53	34.0811	4324.37	131.65	-0.04
426	2010/03/23	18:59:42	34.1617	4324.01	131.45	18:59:43	34.1617	4324.31	131.57	-0.04
427	2010/03/23	19:04:32	34.2422	4323.71	131.28	19:04:33	34.2422	4324.24	131.48	-0.08
428	2010/03/23	19:09:22	34.3228	4323.65	131.18	19:09:23	34.3228	4324.19	131.40	-0.08
429	2010/03/23	19:14:12	34.4033	4323.74	131.18	19:14:13	34.4033	4324.13	131.32	-0.06
430	2010/03/23	19:19:02	34.4839	4323.65	131.10	19:19:03	34.4839	4324.03	131.24	-0.06
431	2010/03/23	19:23:52	34.5644	4323.60	131.09	19:23:53	34.5644	4323.90	131.16	-0.04
432	2010/03/23	19:28:42	34.6450	4323.41	130.97	19:28:43	34.6450	4323.81	131.09	-0.06
433	2010/03/23	19:33:32	34.7256	4323.42	130.92	19:33:33	34.7256	4323.76	131.01	-0.05
434	2010/03/23	19:38:22	34.8061	4323.38	130.86	19:38:23	34.8061	4323.70	130.94	-0.05
435	2010/03/23	19:43:12	34.8867	4323.39	130.79	19:43:13	34.8867	4323.63	130.86	-0.03
436	2010/03/23	19:48:02	34.9672	4323.24	130.70	19:48:03	34.9672	4323.53	130.78	-0.04
437	2010/03/23	19:52:52	35.0478	4323.26	130.63	19:52:53	35.0478	4323.52	130.70	-0.04
438	2010/03/23	19:57:42	35.1283	4323.24	130.53	19:57:43	35.1283	4323.57	130.62	-0.05
439	2010/03/23	20:02:32	35.2089	4323.38	130.46	20:02:33	35.2089	4323.57	130.53	-0.03
440	2010/03/23	20:07:22	35.2894	4323.34	130.37	20:07:23	35.2894	4323.54	130.44	-0.03

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00
Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00
Print Filter: Print every 29th point

Wattenburg Disposal
 SE NW Sec 10 T1N R67W
 Start Test Date: 2010/03/22
 Final Test Date: 2010/03/29

Suckla Farms Injection #1
 Formation: Lyons
 Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
441	2010/03/23	20:12:12	35.3700	4323.23	130.25	20:12:13	35.3700	4323.52	130.35	-0.04
442	2010/03/23	20:17:02	35.4506	4323.28	130.14	20:17:03	35.4506	4323.58	130.27	-0.04
443	2010/03/23	20:21:52	35.5311	4323.25	130.07	20:21:53	35.5311	4323.60	130.19	-0.05
444	2010/03/23	20:26:42	35.6117	4323.28	129.96	20:26:43	35.6117	4323.64	130.11	-0.05
445	2010/03/23	20:31:32	35.6922	4323.28	129.91	20:31:33	35.6922	4323.64	130.03	-0.05
446	2010/03/23	20:36:22	35.7728	4323.34	129.85	20:36:23	35.7728	4323.67	129.95	-0.05
447	2010/03/23	20:41:12	35.8533	4323.32	129.77	20:41:13	35.8533	4323.66	129.87	-0.05
448	2010/03/23	20:46:02	35.9339	4323.40	129.69	20:46:03	35.9339	4323.68	129.79	-0.04
449	2010/03/23	20:50:52	36.0144	4323.39	129.61	20:50:53	36.0144	4323.69	129.71	-0.04
450	2010/03/23	20:55:42	36.0950	4323.37	129.53	20:55:43	36.0950	4323.75	129.63	-0.05
451	2010/03/23	21:00:32	36.1756	4323.56	129.46	21:00:33	36.1756	4323.83	129.55	-0.04
452	2010/03/23	21:05:22	36.2561	4323.51	129.36	21:05:23	36.2561	4323.85	129.48	-0.05
453	2010/03/23	21:10:12	36.3367	4323.50	129.27	21:10:13	36.3367	4323.84	129.40	-0.05
454	2010/03/23	21:15:02	36.4172	4323.49	129.19	21:15:03	36.4172	4323.84	129.32	-0.05
455	2010/03/23	21:19:52	36.4978	4323.58	129.14	21:19:53	36.4978	4323.90	129.25	-0.05
456	2010/03/23	21:24:42	36.5783	4323.45	129.03	21:24:43	36.5783	4323.92	129.17	-0.07
457	2010/03/23	21:29:32	36.6589	4323.69	129.01	21:29:33	36.6589	4323.93	129.10	-0.04
458	2010/03/23	21:34:22	36.7394	4323.58	128.89	21:34:23	36.7394	4323.96	129.03	-0.06
459	2010/03/23	21:39:12	36.8200	4323.65	128.86	21:39:13	36.8200	4324.00	128.96	-0.05
460	2010/03/23	21:44:02	36.9006	4323.69	128.80	21:44:03	36.9006	4324.00	128.89	-0.04
461	2010/03/23	21:48:52	36.9811	4323.77	128.73	21:48:53	36.9811	4324.06	128.81	-0.04
462	2010/03/23	21:53:42	37.0617	4323.55	128.63	21:53:43	37.0617	4323.91	128.75	-0.05
463	2010/03/23	21:58:32	37.1422	4323.43	128.56	21:58:33	37.1422	4323.78	128.68	-0.05
464	2010/03/23	22:03:22	37.2228	4323.59	128.48	22:03:23	37.2228	4323.99	128.61	-0.06
465	2010/03/23	22:08:12	37.3033	4323.55	128.36	22:08:13	37.3033	4324.06	128.54	-0.07
466	2010/03/23	22:13:02	37.3839	4323.54	128.28	22:13:03	37.3839	4324.14	128.47	-0.09
467	2010/03/23	22:17:52	37.4644	4323.58	128.22	22:17:53	37.4644	4324.20	128.40	-0.09
468	2010/03/23	22:22:42	37.5450	4323.50	128.12	22:22:43	37.5450	4324.22	128.34	-0.10
469	2010/03/23	22:27:32	37.6256	4323.59	128.06	22:27:33	37.6256	4324.29	128.27	-0.10
470	2010/03/23	22:32:22	37.7061	4323.75	128.00	22:32:23	37.7061	4324.29	128.20	-0.08
471	2010/03/23	22:37:12	37.7867	4323.70	127.91	22:37:13	37.7867	4324.38	128.14	-0.10
472	2010/03/23	22:42:02	37.8672	4323.85	127.85	22:42:03	37.8672	4324.49	128.07	-0.09
473	2010/03/23	22:46:52	37.9478	4323.88	127.80	22:46:53	37.9478	4324.56	128.01	-0.10
474	2010/03/23	22:51:42	38.0283	4324.04	127.73	22:51:43	38.0283	4324.59	127.94	-0.08
475	2010/03/23	22:56:32	38.1089	4324.13	127.69	22:56:33	38.1089	4324.64	127.88	-0.07
476	2010/03/23	23:01:22	38.1894	4324.10	127.58	23:01:23	38.1894	4324.73	127.81	-0.09
477	2010/03/23	23:06:12	38.2700	4324.11	127.53	23:06:13	38.2700	4324.78	127.75	-0.10
478	2010/03/23	23:11:02	38.3506	4324.25	127.54	23:11:03	38.3506	4324.73	127.68	-0.07
479	2010/03/23	23:15:52	38.4311	4324.17	127.40	23:15:53	38.4311	4324.81	127.62	-0.09
480	2010/03/23	23:20:42	38.5117	4324.36	127.39	23:20:43	38.5117	4324.89	127.56	-0.08
481	2010/03/23	23:25:32	38.5922	4324.31	127.30	23:25:33	38.5922	4324.92	127.50	-0.09
482	2010/03/23	23:30:22	38.6728	4324.40	127.25	23:30:23	38.6728	4324.98	127.44	-0.08
483	2010/03/23	23:35:12	38.7533	4324.66	127.25	23:35:13	38.7533	4325.06	127.38	-0.06
484	2010/03/23	23:40:02	38.8339	4324.49	127.10	23:40:03	38.8339	4325.10	127.31	-0.09

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
 SE NW Sec 10 T1N R67W
 Start Test Date: 2010/03/22
 Final Test Date: 2010/03/29

Suckla Farms Injection #1
 Formation: Lyons
 Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
485	2010/03/23	23:44:52	38.9144	4324.52	127.05	23:44:53	38.9144	4325.10	127.26	-0.08
486	2010/03/23	23:49:42	38.9950	4324.56	126.99	23:49:43	38.9950	4325.17	127.20	-0.09
487	2010/03/23	23:54:32	39.0756	4324.63	126.92	23:54:33	39.0756	4325.22	127.14	-0.08
488	2010/03/23	23:59:22	39.1561	4324.53	126.86	23:59:23	39.1561	4325.24	127.08	-0.10
489	2010/03/24	00:04:12	39.2367	4324.66	126.80	00:04:13	39.2367	4325.32	127.03	-0.10
490	2010/03/24	00:09:02	39.3172	4324.67	126.76	00:09:03	39.3172	4325.30	126.97	-0.09
491	2010/03/24	00:13:52	39.3978	4324.80	126.71	00:13:53	39.3978	4325.34	126.91	-0.08
492	2010/03/24	00:18:42	39.4783	4324.78	126.63	00:18:43	39.4783	4325.42	126.86	-0.09
493	2010/03/24	00:23:32	39.5589	4324.97	126.62	00:23:33	39.5589	4325.47	126.80	-0.07
494	2010/03/24	00:28:22	39.6394	4324.81	126.52	00:28:23	39.6394	4325.51	126.75	-0.10
495	2010/03/24	00:33:12	39.7200	4325.04	126.51	00:33:13	39.7200	4325.55	126.69	-0.07
496	2010/03/24	00:38:02	39.8006	4325.02	126.42	00:38:03	39.8006	4325.56	126.64	-0.08
497	2010/03/24	00:42:52	39.8811	4324.92	126.36	00:42:53	39.8811	4325.56	126.59	-0.09
498	2010/03/24	00:47:42	39.9617	4325.09	126.35	00:47:43	39.9617	4325.65	126.54	-0.08
499	2010/03/24	00:52:32	40.0422	4325.26	126.31	00:52:33	40.0422	4325.70	126.49	-0.07
500	2010/03/24	00:57:22	40.1228	4325.13	126.28	00:57:23	40.1228	4325.78	126.44	-0.09
501	2010/03/24	01:02:12	40.2033	4325.18	126.21	01:02:13	40.2033	4325.86	126.39	-0.10
502	2010/03/24	01:07:02	40.2839	4325.27	126.16	01:07:03	40.2839	4325.88	126.34	-0.09
503	2010/03/24	01:11:52	40.3644	4325.21	126.10	01:11:53	40.3644	4325.90	126.28	-0.10
504	2010/03/24	01:16:42	40.4450	4325.34	126.06	01:16:43	40.4450	4325.96	126.24	-0.09
505	2010/03/24	01:21:32	40.5256	4325.23	125.96	01:21:33	40.5256	4325.99	126.19	-0.11
506	2010/03/24	01:26:22	40.6061	4325.37	125.94	01:26:23	40.6061	4326.07	126.14	-0.10
507	2010/03/24	01:31:12	40.6867	4325.48	125.90	01:31:13	40.6867	4326.11	126.09	-0.09
508	2010/03/24	01:36:02	40.7672	4325.51	125.83	01:36:03	40.7672	4326.15	126.03	-0.09
509	2010/03/24	01:40:52	40.8478	4325.40	125.75	01:40:53	40.8478	4326.19	125.98	-0.11
510	2010/03/24	01:45:42	40.9283	4325.45	125.70	01:45:43	40.9283	4326.25	125.93	-0.12
511	2010/03/24	01:50:32	41.0089	4325.51	125.64	01:50:33	41.0089	4326.31	125.88	-0.12
512	2010/03/24	01:55:22	41.0894	4325.51	125.61	01:55:23	41.0894	4326.27	125.83	-0.11
513	2010/03/24	02:00:12	41.1700	4325.53	125.54	02:00:13	41.1700	4326.30	125.79	-0.11
514	2010/03/24	02:05:02	41.2506	4325.49	125.50	02:05:03	41.2506	4326.11	125.74	-0.09
515	2010/03/24	02:09:52	41.3311	4325.69	125.50	02:09:53	41.3311	4326.21	125.69	-0.08
516	2010/03/24	02:14:42	41.4117	4325.64	125.44	02:14:43	41.4117	4326.23	125.64	-0.09
517	2010/03/24	02:19:32	41.4922	4325.66	125.35	02:19:33	41.4922	4326.29	125.60	-0.09
518	2010/03/24	02:24:22	41.5728	4325.75	125.30	02:24:23	41.5728	4326.36	125.55	-0.09
519	2010/03/24	02:29:12	41.6533	4325.79	125.25	02:29:13	41.6533	4326.40	125.50	-0.09
520	2010/03/24	02:34:02	41.7339	4325.87	125.21	02:34:03	41.7339	4326.49	125.45	-0.09
521	2010/03/24	02:38:52	41.8144	4325.90	125.16	02:38:53	41.8144	4326.53	125.40	-0.09
522	2010/03/24	02:43:42	41.8950	4325.96	125.11	02:43:43	41.8950	4326.61	125.35	-0.09
523	2010/03/24	02:48:32	41.9756	4325.98	125.06	02:48:33	41.9756	4326.63	125.31	-0.09
524	2010/03/24	02:53:22	42.0561	4326.03	125.02	02:53:23	42.0561	4326.68	125.26	-0.09
525	2010/03/24	02:58:12	42.1367	4326.09	124.97	02:58:13	42.1367	4326.73	125.22	-0.09
526	2010/03/24	03:03:02	42.2172	4326.18	124.96	03:03:03	42.2172	4326.77	125.17	-0.09
527	2010/03/24	03:07:52	42.2978	4326.25	124.96	03:07:53	42.2978	4326.72	125.13	-0.07
528	2010/03/24	03:12:42	42.3783	4326.14	124.89	03:12:43	42.3783	4326.73	125.09	-0.09

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time	Top Pres. psi(a)	Top Temp. °F	Top G1 - G2 psi
529	2010/03/24	03:17:32	42.4589	4326.18	124.82	03:17:33	42.4589	4326.75	125.04	-0.08
530	2010/03/24	03:22:22	42.5394	4326.28	124.85	03:22:23	42.5394	4326.77	125.00	-0.07
531	2010/03/24	03:27:12	42.6200	4326.15	124.74	03:27:13	42.6200	4326.80	124.96	-0.09
532	2010/03/24	03:32:02	42.7006	4326.16	124.70	03:32:03	42.7006	4326.80	124.91	-0.09
533	2010/03/24	03:36:52	42.7811	4326.16	124.64	03:36:53	42.7811	4326.85	124.87	-0.10
534	2010/03/24	03:41:42	42.8617	4326.21	124.60	03:41:43	42.8617	4326.85	124.82	-0.09
535	2010/03/24	03:46:32	42.9422	4326.26	124.58	03:46:33	42.9422	4326.86	124.78	-0.09
536	2010/03/24	03:51:22	43.0228	4326.20	124.51	03:51:23	43.0228	4326.89	124.73	-0.10
537	2010/03/24	03:56:12	43.1033	4325.95	124.51	03:56:13	43.1033	4326.54	124.69	-0.09
538	2010/03/24	04:01:02	43.1839	4326.25	124.53	04:01:03	43.1839	4326.60	124.64	-0.05
539	2010/03/24	04:05:52	43.2644	4326.01	124.41	04:05:53	43.2644	4326.71	124.59	-0.10
540	2010/03/24	04:10:42	43.3450	4326.16	124.35	04:10:43	43.3450	4326.74	124.54	-0.08
541	2010/03/24	04:15:32	43.4256	4326.35	124.35	04:15:33	43.4256	4326.81	124.50	-0.07
542	2010/03/24	04:20:22	43.5061	4326.43	124.34	04:20:23	43.5061	4326.81	124.46	-0.06
543	2010/03/24	04:25:12	43.5867	4326.19	124.32	04:25:13	43.5867	4326.52	124.41	-0.05
544	2010/03/24	04:30:02	43.6672	4326.06	124.22	04:30:03	43.6672	4326.58	124.37	-0.08
545	2010/03/24	04:34:52	43.7478	4326.08	124.18	04:34:53	43.7478	4326.62	124.33	-0.08
546	2010/03/24	04:39:42	43.8283	4326.17	124.13	04:39:43	43.8283	4326.65	124.28	-0.07
547	2010/03/24	04:44:32	43.9089	4325.99	124.02	04:44:33	43.9089	4326.67	124.24	-0.10
548	2010/03/24	04:49:22	43.9894	4326.11	123.98	04:49:23	43.9894	4326.75	124.20	-0.09
549	2010/03/24	04:54:12	44.0700	4326.14	123.94	04:54:13	44.0700	4326.85	124.16	-0.10
550	2010/03/24	04:59:02	44.1506	4326.15	123.91	04:59:03	44.1506	4326.90	124.11	-0.11
551	2010/03/24	05:03:52	44.2311	4326.39	123.88	05:03:53	44.2311	4326.97	124.07	-0.08
552	2010/03/24	05:08:42	44.3117	4326.44	123.85	05:08:43	44.3117	4327.01	124.03	-0.08
553	2010/03/24	05:13:32	44.3922	4326.22	123.76	05:13:33	44.3922	4327.06	123.98	-0.12
554	2010/03/24	05:18:22	44.4728	4326.38	123.74	05:18:23	44.4728	4327.08	123.94	-0.10
555	2010/03/24	05:23:12	44.5533	4326.47	123.71	05:23:13	44.5533	4327.13	123.90	-0.10
556	2010/03/24	05:28:02	44.6339	4326.25	123.64	05:28:03	44.6339	4327.03	123.87	-0.11
557	2010/03/24	05:32:52	44.7144	4326.30	123.61	05:32:53	44.7144	4327.03	123.82	-0.11
558	2010/03/24	05:37:42	44.7950	4326.45	123.56	05:37:43	44.7950	4327.08	123.78	-0.09
559	2010/03/24	05:42:32	44.8756	4326.35	123.53	05:42:33	44.8756	4327.10	123.75	-0.11
560	2010/03/24	05:47:22	44.9561	4326.58	123.51	05:47:23	44.9561	4327.16	123.71	-0.08
561	2010/03/24	05:52:12	45.0367	4326.55	123.45	05:52:13	45.0367	4327.23	123.67	-0.10
562	2010/03/24	05:57:02	45.1172	4326.53	123.41	05:57:03	45.1172	4327.23	123.63	-0.10
563	2010/03/24	06:01:52	45.1978	4326.65	123.39	06:01:53	45.1978	4327.24	123.59	-0.09
564	2010/03/24	06:06:42	45.2783	4326.58	123.37	06:06:43	45.2783	4327.10	123.55	-0.07
565	2010/03/24	06:11:32	45.3589	4326.39	123.31	06:11:33	45.3589	4327.09	123.52	-0.10
566	2010/03/24	06:16:22	45.4394	4326.39	123.26	06:16:23	45.4394	4327.13	123.48	-0.11
567	2010/03/24	06:21:12	45.5200	4326.05	123.22	06:21:13	45.5200	4326.90	123.45	-0.12
568	2010/03/24	06:26:02	45.6006	4326.25	123.22	06:26:03	45.6006	4326.90	123.41	-0.09
569	2010/03/24	06:30:52	45.6811	4326.27	123.16	06:30:53	45.6811	4327.02	123.38	-0.11
570	2010/03/24	06:35:42	45.7617	4326.42	123.13	06:35:43	45.7617	4327.12	123.34	-0.10
571	2010/03/24	06:40:32	45.8422	4326.49	123.15	06:40:33	45.8422	4327.16	123.31	-0.10
572	2010/03/24	06:45:22	45.9228	4326.60	123.09	06:45:23	45.9228	4327.22	123.27	-0.09

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
 SE NW Sec 10 T1N R67W
 Start Test Date: 2010/03/22
 Final Test Date: 2010/03/29

Suckla Farms Injection #1
 Formation: Lyons
 Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Top G1 - G2 Diff. psi
573	2010/03/24	06:50:12	46.0033	4326.54	123.02	06:50:13	46.0033	4327.26	123.23	-0.11
574	2010/03/24	06:55:02	46.0839	4326.71	123.02	06:55:03	46.0839	4327.31	123.20	-0.09
575	2010/03/24	06:59:52	46.1644	4326.80	123.07	06:59:53	46.1644	4327.17	123.16	-0.05
576	2010/03/24	07:04:42	46.2450	4273.03	124.19	07:04:43	46.2450	4273.70	124.30	-0.10
577	2010/03/24	07:09:32	46.3256	4263.89	127.76	07:09:33	46.3256	4264.20	127.96	-0.04
578	2010/03/24	07:14:22	46.4061	4256.75	132.16	07:14:23	46.4061	4257.09	132.55	-0.05
579	2010/03/24	07:19:12	46.4867	4250.57	136.53	07:19:13	46.4867	4250.96	137.09	-0.06
580	2010/03/24	07:24:02	46.5672	4245.49	140.71	07:24:03	46.5672	4245.57	141.28	-0.01
581	2010/03/24	07:28:52	46.6478	4240.43	144.45	07:28:53	46.6478	4240.76	145.08	-0.05
582	2010/03/24	07:33:42	46.7283	4235.90	147.88	07:33:43	46.7283	4236.43	148.54	-0.08
583	2010/03/24	07:38:32	46.8089	4231.81	151.02	07:38:33	46.8089	4232.45	151.68	-0.09
584	2010/03/24	07:43:22	46.8894	4228.04	153.97	07:43:23	46.8894	4228.82	154.61	-0.11
585	2010/03/24	07:48:12	46.9700	4224.49	156.70	07:48:13	46.9700	4225.45	157.31	-0.14
586	2010/03/24	07:53:02	47.0506	4221.10	159.16	07:53:03	47.0506	4222.33	159.76	-0.18
587	2010/03/24	07:57:52	47.1311	4218.07	161.43	07:57:53	47.1311	4219.41	162.00	-0.19
588	2010/03/24	08:02:42	47.2117	4215.18	163.51	08:02:43	47.2117	4216.68	164.07	-0.22
589	2010/03/24	08:07:32	47.2922	4212.44	165.44	08:07:33	47.2922	4214.10	165.98	-0.24
590	2010/03/24	08:12:22	47.3728	4209.83	167.28	08:12:23	47.3728	4211.66	167.79	-0.27
591	2010/03/24	08:17:12	47.4533	4207.37	168.98	08:17:13	47.4533	4209.34	169.48	-0.28
592	2010/03/24	08:22:02	47.5339	4204.97	170.59	08:22:03	47.5339	4207.12	171.08	-0.31
593	2010/03/24	08:26:52	47.6144	4202.90	172.08	08:26:53	47.6144	4205.01	172.57	-0.31
594	2010/03/24	08:31:42	47.6950	4200.65	173.51	08:31:43	47.6950	4203.00	174.00	-0.34
595	2010/03/24	08:36:32	47.7756	4198.75	174.87	08:36:33	47.7756	4201.06	175.35	-0.33
596	2010/03/24	08:41:22	47.8561	4196.67	176.15	08:41:23	47.8561	4199.22	176.63	-0.37
597	2010/03/24	08:46:12	47.9367	4194.92	177.37	08:46:13	47.9367	4197.46	177.84	-0.37
598	2010/03/24	08:51:02	48.0172	4193.10	178.54	08:51:03	48.0172	4195.76	178.99	-0.39
599	2010/03/24	08:55:52	48.0978	4191.41	179.68	08:55:53	48.0978	4194.14	180.15	-0.40
600	2010/03/24	09:00:42	48.1783	4189.77	180.80	09:00:43	48.1783	4192.55	181.29	-0.40
601	2010/03/24	09:05:32	48.2589	4188.09	181.87	09:05:33	48.2589	4191.03	182.37	-0.43
602	2010/03/24	09:10:22	48.3394	4186.61	182.92	09:10:23	48.3394	4189.56	183.41	-0.43
603	2010/03/24	09:15:12	48.4200	4185.15	183.90	09:15:13	48.4200	4188.13	184.41	-0.43
604	2010/03/24	09:20:02	48.5006	4183.83	184.87	09:20:03	48.5006	4186.74	185.37	-0.42
605	2010/03/24	09:24:52	48.5811	4182.38	185.78	09:24:53	48.5811	4185.40	186.28	-0.44
606	2010/03/24	09:29:42	48.6617	4181.06	186.67	09:29:43	48.6617	4184.08	187.16	-0.44
607	2010/03/24	09:34:32	48.7422	4179.79	187.53	09:34:33	48.7422	4182.79	188.01	-0.43
608	2010/03/24	09:39:22	48.8228	4178.42	188.36	09:39:23	48.8228	4181.53	188.85	-0.45
609	2010/03/24	09:44:12	48.9033	4177.18	189.18	09:44:13	48.9033	4180.29	189.66	-0.45
610	2010/03/24	09:49:02	48.9839	4175.89	189.98	09:49:03	48.9839	4179.10	190.45	-0.47
611	2010/03/24	09:53:52	49.0644	4174.82	190.82	09:53:53	49.0644	4177.92	191.22	-0.45
612	2010/03/24	09:58:42	49.1450	4173.62	191.55	09:58:43	49.1450	4176.76	191.97	-0.46
613	2010/03/24	10:03:32	49.2256	4172.49	192.27	10:03:33	49.2256	4175.62	192.70	-0.45
614	2010/03/24	10:08:22	49.3061	4171.33	192.97	10:08:23	49.3061	4174.50	193.41	-0.46
615	2010/03/24	10:13:12	49.3867	4170.36	193.68	10:13:13	49.3867	4173.40	194.11	-0.44
616	2010/03/24	10:18:02	49.4672	4169.11	194.38	10:18:03	49.4672	4172.32	194.78	-0.47

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00
 Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00
 Print Filter: Print every 29th point

Wattenburg Disposal
 SE NW Sec 10 T1N R67W
 Start Test Date: 2010/03/22
 Final Test Date: 2010/03/29

Suckla Farms Injection #1
 Formation: Lyons
 Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
617	2010/03/24	10:22:52	49.5478	4168.07	195.03	10:22:53	49.5478	4171.25	195.44	-0.46
618	2010/03/24	10:27:42	49.6283	4166.92	195.59	10:27:43	49.6283	4170.20	196.07	-0.48
619	2010/03/24	10:32:32	49.7089	4166.01	196.22	10:32:33	49.7089	4169.17	196.70	-0.46
620	2010/03/24	10:37:22	49.7894	4164.88	196.82	10:37:23	49.7894	4168.15	197.31	-0.48
621	2010/03/24	10:42:12	49.8700	4163.92	197.44	10:42:13	49.8700	4167.16	197.92	-0.47
622	2010/03/24	10:47:02	49.9506	4162.82	198.06	10:47:03	49.9506	4166.17	198.51	-0.49
623	2010/03/24	10:51:52	50.0311	4161.87	198.64	10:51:53	50.0311	4165.20	199.08	-0.48
624	2010/03/24	10:56:42	50.1117	4161.00	199.21	10:56:43	50.1117	4164.23	199.64	-0.47
625	2010/03/24	11:01:32	50.1922	4160.20	199.79	11:01:33	50.1922	4163.28	200.21	-0.45
626	2010/03/24	11:06:22	50.2728	4159.20	200.39	11:06:23	50.2728	4162.35	200.74	-0.46
627	2010/03/24	11:11:12	50.3533	4158.24	200.89	11:11:13	50.3533	4161.43	201.27	-0.46
628	2010/03/24	11:16:02	50.4339	4157.24	201.35	11:16:03	50.4339	4160.52	201.78	-0.48
629	2010/03/24	11:20:52	50.5144	4156.52	201.93	11:20:53	50.5144	4159.62	202.27	-0.45
630	2010/03/24	11:25:42	50.5950	4155.57	202.39	11:25:43	50.5950	4158.72	202.76	-0.46
631	2010/03/24	11:30:32	50.6756	4154.55	202.79	11:30:33	50.6756	4157.84	203.23	-0.48
632	2010/03/24	11:35:22	50.7561	4153.80	203.31	11:35:23	50.7561	4156.96	203.71	-0.46
633	2010/03/24	11:40:12	50.8367	4152.81	203.72	11:40:13	50.8367	4156.10	204.17	-0.48
634	2010/03/24	11:45:02	50.9172	4152.03	204.21	11:45:03	50.9172	4155.24	204.62	-0.47
635	2010/03/24	11:49:52	50.9978	4151.26	204.69	11:49:53	50.9978	4154.38	205.06	-0.45
636	2010/03/24	11:54:42	51.0783	4150.37	205.10	11:54:43	51.0783	4153.53	205.50	-0.46
637	2010/03/24	11:59:32	51.1589	4149.47	205.48	11:59:33	51.1589	4152.69	205.92	-0.47
638	2010/03/24	12:04:22	51.2394	4148.55	205.85	12:04:23	51.2394	4151.85	206.34	-0.48
639	2010/03/24	12:09:12	51.3200	4147.89	206.35	12:09:13	51.3200	4151.02	206.74	-0.46
640	2010/03/24	12:14:02	51.4006	4147.10	206.74	12:14:03	51.4006	4150.20	207.14	-0.45
641	2010/03/24	12:18:52	51.4811	4146.14	207.07	12:18:53	51.4811	4149.38	207.53	-0.47
642	2010/03/24	12:23:42	51.5617	4145.27	207.43	12:23:43	51.5617	4148.56	207.90	-0.48
643	2010/03/24	12:28:32	51.6422	4144.57	207.81	12:28:33	51.6422	4147.75	208.28	-0.46
644	2010/03/24	12:33:22	51.7228	4143.78	208.18	12:33:23	51.7228	4146.94	208.65	-0.46
645	2010/03/24	12:38:12	51.8033	4143.00	208.53	12:38:13	51.8033	4146.13	209.00	-0.45
646	2010/03/24	12:43:02	51.8839	4142.17	208.88	12:43:03	51.8839	4145.34	209.35	-0.46
647	2010/03/24	12:47:52	51.9644	4141.45	209.24	12:47:53	51.9644	4144.52	209.70	-0.45
648	2010/03/24	12:52:42	52.0450	4140.78	209.66	12:52:43	52.0450	4143.72	210.04	-0.43
649	2010/03/24	12:57:32	52.1256	4139.87	209.93	12:57:33	52.1256	4142.92	210.38	-0.44
650	2010/03/24	13:02:22	52.2061	4139.13	210.27	13:02:23	52.2061	4142.12	210.71	-0.43
651	2010/03/24	13:07:12	52.2867	4138.40	210.58	13:07:13	52.2867	4141.32	211.03	-0.42
652	2010/03/24	13:12:02	52.3672	4137.75	210.95	13:12:03	52.3672	4140.53	211.34	-0.40
653	2010/03/24	13:16:52	52.4478	4136.90	211.18	13:16:53	52.4478	4139.73	211.65	-0.41
654	2010/03/24	13:21:42	52.5283	4136.12	211.48	13:21:43	52.5283	4138.93	211.96	-0.41
655	2010/03/24	13:26:32	52.6089	4135.41	211.80	13:26:33	52.6089	4138.14	212.26	-0.40
656	2010/03/24	13:31:22	52.6894	4134.76	212.12	13:31:23	52.6894	4137.35	212.54	-0.38
657	2010/03/24	13:36:12	52.7700	4133.91	212.36	13:36:13	52.7700	4136.57	212.83	-0.39
658	2010/03/24	13:41:02	52.8506	4133.29	212.76	13:41:03	52.8506	4135.78	213.11	-0.36
659	2010/03/24	13:45:52	52.9311	4132.61	213.04	13:45:53	52.9311	4135.02	213.39	-0.35
660	2010/03/24	13:50:42	53.0117	4131.94	213.25	13:50:43	53.0117	4134.26	213.67	-0.34

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
661	2010/03/24	13:55:32	53.0922	4131.05	213.51	13:55:33	53.0922	4133.50	213.94	-0.36
662	2010/03/24	14:00:22	53.1728	4130.46	213.87	14:00:23	53.1728	4132.74	214.20	-0.33
663	2010/03/24	14:05:12	53.2533	4129.76	214.08	14:05:13	53.2533	4132.01	214.45	-0.33
664	2010/03/24	14:10:02	53.3339	4128.89	214.24	14:10:03	53.3339	4131.27	214.70	-0.35
665	2010/03/24	14:14:52	53.4144	4128.28	214.53	14:14:53	53.4144	4130.52	214.96	-0.33
666	2010/03/24	14:19:42	53.4950	4127.70	214.79	14:19:43	53.4950	4129.80	215.21	-0.30
667	2010/03/24	14:24:32	53.5756	4126.91	215.07	14:24:33	53.5756	4129.06	215.45	-0.31
668	2010/03/24	14:29:22	53.6561	4126.13	215.26	14:29:23	53.6561	4128.34	215.69	-0.32
669	2010/03/24	14:34:12	53.7367	4125.53	215.55	14:34:13	53.7367	4127.61	215.93	-0.30
670	2010/03/24	14:39:02	53.8172	4124.74	215.74	14:39:03	53.8172	4126.89	216.15	-0.31
671	2010/03/24	14:43:52	53.8978	4124.02	215.96	14:43:53	53.8978	4126.17	216.38	-0.31
672	2010/03/24	14:48:42	53.9783	4123.31	216.13	14:48:43	53.9783	4125.47	216.60	-0.31
673	2010/03/24	14:53:32	54.0589	4122.84	216.45	14:53:33	54.0589	4124.77	216.81	-0.28
674	2010/03/24	14:58:22	54.1394	4122.11	216.66	14:58:23	54.1394	4124.06	217.02	-0.28
675	2010/03/24	15:03:12	54.2200	4121.33	216.77	15:03:13	54.2200	4123.37	217.23	-0.30
676	2010/03/24	15:08:02	54.3006	4120.67	217.03	15:08:03	54.3006	4122.67	217.43	-0.29
677	2010/03/24	15:12:52	54.3811	4119.88	217.18	15:12:53	54.3811	4121.98	217.63	-0.30
678	2010/03/24	15:17:42	54.4617	4119.39	217.40	15:17:43	54.4617	4121.29	217.84	-0.28
679	2010/03/24	15:22:32	54.5422	4118.74	217.61	15:22:33	54.5422	4120.61	218.04	-0.27
680	2010/03/24	15:27:22	54.6228	4117.95	217.79	15:27:23	54.6228	4119.93	218.24	-0.29
681	2010/03/24	15:32:12	54.7033	4117.35	218.02	15:32:13	54.7033	4119.24	218.43	-0.28
682	2010/03/24	15:37:02	54.7839	4116.66	218.18	15:37:03	54.7839	4118.57	218.62	-0.28
683	2010/03/24	15:41:52	54.8644	4115.99	218.38	15:41:53	54.8644	4117.91	218.80	-0.28
684	2010/03/24	15:46:42	54.9450	4115.28	218.54	15:46:43	54.9450	4117.24	218.99	-0.28
685	2010/03/24	15:51:32	55.0256	4114.74	218.75	15:51:33	55.0256	4116.58	219.17	-0.27
686	2010/03/24	15:56:22	55.1061	4114.04	218.88	15:56:23	55.1061	4115.90	219.35	-0.27
687	2010/03/24	16:01:12	55.1867	4113.44	219.10	16:01:13	55.1867	4115.24	219.53	-0.26
688	2010/03/24	16:06:02	55.2672	4112.74	219.23	16:06:03	55.2672	4114.58	219.71	-0.27
689	2010/03/24	16:10:52	55.3478	4112.02	219.41	16:10:53	55.3478	4113.92	219.88	-0.28
690	2010/03/24	16:15:42	55.4283	4111.54	219.70	16:15:43	55.4283	4113.25	220.05	-0.25
691	2010/03/24	16:20:32	55.5089	4110.95	219.87	16:20:33	55.5089	4112.60	220.22	-0.24
692	2010/03/24	16:25:22	55.5894	4110.12	219.99	16:25:23	55.5894	4111.95	220.37	-0.27
693	2010/03/24	16:30:12	55.6700	4109.58	220.15	16:30:13	55.6700	4111.29	220.53	-0.25
694	2010/03/24	16:35:02	55.7506	4108.92	220.28	16:35:03	55.7506	4110.63	220.69	-0.25
695	2010/03/24	16:39:52	55.8311	4108.32	220.42	16:39:53	55.8311	4109.98	220.85	-0.24
696	2010/03/24	16:44:42	55.9117	4107.53	220.57	16:44:43	55.9117	4109.34	221.01	-0.26
697	2010/03/24	16:49:32	55.9922	4107.02	220.77	16:49:33	55.9922	4108.70	221.15	-0.24
698	2010/03/24	16:54:22	56.0728	4106.27	220.91	16:54:23	56.0728	4108.04	221.31	-0.26
699	2010/03/24	16:59:12	56.1533	4105.59	221.01	16:59:13	56.1533	4107.41	221.46	-0.26
700	2010/03/24	17:04:02	56.2339	4105.09	221.22	17:04:03	56.2339	4106.77	221.61	-0.24
701	2010/03/24	17:08:52	56.3144	4104.36	221.31	17:08:53	56.3144	4106.14	221.76	-0.26
702	2010/03/24	17:13:42	56.3950	4103.78	221.48	17:13:43	56.3950	4105.50	221.89	-0.25
703	2010/03/24	17:18:32	56.4756	4103.13	221.64	17:18:33	56.4756	4104.87	222.04	-0.25
704	2010/03/24	17:23:22	56.5561	4102.42	221.74	17:23:23	56.5561	4104.24	222.18	-0.26

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
705	2010/03/24	17:28:12	56.6367	4101.86	221.90	17:28:13	56.6367	4103.61	222.31	-0.25
706	2010/03/24	17:33:02	56.7172	4101.31	222.03	17:33:03	56.7172	4102.98	222.45	-0.24
707	2010/03/24	17:37:52	56.7978	4100.78	222.23	17:37:53	56.7978	4102.36	222.58	-0.23
708	2010/03/24	17:42:42	56.8783	4100.24	222.36	17:42:43	56.8783	4101.74	222.72	-0.22
709	2010/03/24	17:47:32	56.9589	4099.46	222.39	17:47:33	56.9589	4101.12	222.85	-0.24
710	2010/03/24	17:52:22	57.0394	4098.78	222.56	17:52:23	57.0394	4100.51	222.98	-0.25
711	2010/03/24	17:57:12	57.1200	4098.33	222.73	17:57:13	57.1200	4099.90	223.10	-0.23
712	2010/03/24	18:02:02	57.2006	4097.71	222.84	18:02:03	57.2006	4099.29	223.23	-0.23
713	2010/03/24	18:06:52	57.2811	4097.07	222.95	18:06:53	57.2811	4098.67	223.36	-0.23
714	2010/03/24	18:11:42	57.3617	4096.49	223.10	18:11:43	57.3617	4098.06	223.47	-0.23
715	2010/03/24	18:16:32	57.4422	4095.88	223.19	18:16:33	57.4422	4097.45	223.59	-0.23
716	2010/03/24	18:21:22	57.5228	4095.28	223.33	18:21:23	57.5228	4096.84	223.71	-0.23
717	2010/03/24	18:26:12	57.6033	4094.67	223.46	18:26:13	57.6033	4096.25	223.83	-0.23
718	2010/03/24	18:31:02	57.6839	4094.09	223.57	18:31:03	57.6839	4095.64	223.95	-0.22
719	2010/03/24	18:35:52	57.7644	4093.47	223.63	18:35:53	57.7644	4095.04	224.07	-0.23
720	2010/03/24	18:40:42	57.8450	4092.95	223.76	18:40:43	57.8450	4094.45	224.18	-0.22
721	2010/03/24	18:45:32	57.9256	4092.23	223.81	18:45:33	57.9256	4093.84	224.29	-0.23
722	2010/03/24	18:50:22	58.0061	4091.57	223.95	18:50:23	58.0061	4093.24	224.40	-0.24
723	2010/03/24	18:55:12	58.0867	4091.10	224.06	18:55:13	58.0867	4092.64	224.51	-0.22
724	2010/03/24	19:00:02	58.1672	4090.44	224.16	19:00:03	58.1672	4092.06	224.62	-0.24
725	2010/03/24	19:04:52	58.2478	4089.93	224.26	19:04:53	58.2478	4091.45	224.73	-0.22
726	2010/03/24	19:09:42	58.3283	4089.38	224.44	19:09:43	58.3283	4090.87	224.83	-0.22
727	2010/03/24	19:14:32	58.4089	4088.78	224.54	19:14:33	58.4089	4090.28	224.94	-0.22
728	2010/03/24	19:19:22	58.4894	4088.14	224.60	19:19:23	58.4894	4089.70	225.04	-0.23
729	2010/03/24	19:24:12	58.5700	4087.54	224.70	19:24:13	58.5700	4089.12	225.14	-0.23
730	2010/03/24	19:29:02	58.6506	4087.04	224.84	19:29:03	58.6506	4088.54	225.25	-0.22
731	2010/03/24	19:33:52	58.7311	4086.63	224.93	19:33:53	58.7311	4087.95	225.35	-0.19
732	2010/03/24	19:38:42	58.8117	4085.76	224.93	19:38:43	58.8117	4087.38	225.44	-0.23
733	2010/03/24	19:43:32	58.8922	4085.17	225.04	19:43:33	58.8922	4086.80	225.53	-0.24
734	2010/03/24	19:48:22	58.9728	4084.57	225.13	19:48:23	58.9728	4086.23	225.64	-0.24
735	2010/03/24	19:53:12	59.0533	4084.10	225.26	19:53:13	59.0533	4085.65	225.73	-0.23
736	2010/03/24	19:58:02	59.1339	4083.42	225.34	19:58:03	59.1339	4085.08	225.82	-0.24
737	2010/03/24	20:02:52	59.2144	4082.89	225.41	20:02:53	59.2144	4084.51	225.91	-0.24
738	2010/03/24	20:07:42	59.2950	4082.34	225.52	20:07:43	59.2950	4083.94	225.99	-0.23
739	2010/03/24	20:12:32	59.3756	4081.83	225.61	20:12:33	59.3756	4083.39	226.09	-0.23
740	2010/03/24	20:17:22	59.4561	4081.28	225.71	20:17:23	59.4561	4082.82	226.18	-0.22
741	2010/03/24	20:22:12	59.5367	4080.70	225.80	20:22:13	59.5367	4082.25	226.27	-0.23
742	2010/03/24	20:27:02	59.6172	4080.14	225.91	20:27:03	59.6172	4081.70	226.36	-0.23
743	2010/03/24	20:31:52	59.6978	4079.66	226.03	20:31:53	59.6978	4081.14	226.45	-0.21
744	2010/03/24	20:36:42	59.7783	4079.01	226.07	20:36:43	59.7783	4080.58	226.55	-0.23
745	2010/03/24	20:41:32	59.8589	4078.53	226.21	20:41:33	59.8589	4080.02	226.63	-0.22
746	2010/03/24	20:46:22	59.9394	4077.93	226.26	20:46:23	59.9394	4079.46	226.71	-0.22
747	2010/03/24	20:55:32	60.0922	4077.01	226.46	20:54:35	60.0761	4078.55	226.84	-0.21
748	2010/03/24	21:24:32	60.5756	4073.72	226.97	21:23:35	60.5594	4075.49	227.31	-0.24

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
749	2010/03/24	21:53:32	61.0589	4070.45	227.42	21:52:35	61.0428	4072.39	227.77	-0.27
750	2010/03/24	22:22:32	61.5422	4067.32	227.84	22:21:35	61.5261	4069.30	228.20	-0.27
751	2010/03/24	22:51:32	62.0256	4064.28	228.24	22:50:35	62.0094	4066.26	228.61	-0.27
752	2010/03/24	23:20:32	62.5089	4061.37	228.62	23:19:35	62.4928	4063.30	228.98	-0.27
753	2010/03/24	23:49:32	62.9922	4058.12	228.92	23:48:35	62.9761	4060.39	229.35	-0.31
754	2010/03/25	00:18:32	63.4756	4055.50	229.28	00:17:35	63.4594	4057.52	229.69	-0.28
755	2010/03/25	00:47:32	63.9589	4052.69	229.57	00:46:35	63.9428	4054.79	230.01	-0.29
756	2010/03/25	01:16:32	64.4422	4050.09	229.93	01:15:35	64.4261	4052.13	230.31	-0.28
757	2010/03/25	01:45:32	64.9256	4047.58	230.17	01:44:35	64.9094	4049.60	230.61	-0.28
758	2010/03/25	02:14:32	65.4089	4045.10	230.48	02:13:35	65.3928	4047.15	230.89	-0.29
759	2010/03/25	02:43:32	65.8922	4042.79	230.76	02:42:35	65.8761	4044.75	231.17	-0.27
760	2010/03/25	03:12:32	66.3756	4040.45	231.02	03:11:35	66.3594	4042.40	231.43	-0.27
761	2010/03/25	03:41:32	66.8589	4038.16	231.26	03:40:35	66.8428	4040.13	231.66	-0.27
762	2010/03/25	04:10:32	67.3422	4035.91	231.52	04:09:35	67.3261	4037.89	231.89	-0.28
763	2010/03/25	04:39:32	67.8256	4033.82	231.73	04:38:35	67.8094	4035.74	232.13	-0.27
764	2010/03/25	05:08:32	68.3089	4031.65	231.92	05:07:35	68.2928	4033.66	232.34	-0.28
765	2010/03/25	05:37:32	68.7922	4029.73	232.13	05:36:35	68.7761	4031.63	232.55	-0.27
766	2010/03/25	06:06:32	69.2756	4027.82	232.34	06:05:35	69.2594	4029.68	232.77	-0.26
767	2010/03/25	06:35:32	69.7589	4025.73	232.56	06:34:35	69.7428	4027.77	232.99	-0.29
768	2010/03/25	07:04:32	70.2422	4023.97	232.76	07:03:35	70.2261	4025.85	233.19	-0.26
769	2010/03/25	07:33:32	70.7256	4021.98	232.94	07:32:35	70.7094	4024.00	233.38	-0.29
770	2010/03/25	08:02:32	71.2089	4020.21	233.11	08:01:35	71.1928	4022.20	233.55	-0.28
771	2010/03/25	08:31:32	71.6922	4018.55	233.29	08:30:35	71.6761	4020.43	233.72	-0.26
772	2010/03/25	09:00:32	72.1756	4016.81	233.44	08:59:35	72.1594	4018.70	233.89	-0.27
773	2010/03/25	09:29:32	72.6589	4015.09	233.57	09:28:35	72.6428	4017.01	234.03	-0.27
774	2010/03/25	09:58:32	73.1422	4013.48	233.74	09:57:35	73.1261	4015.36	234.19	-0.27
775	2010/03/25	10:27:32	73.6256	4011.90	233.89	10:26:35	73.6094	4013.73	234.34	-0.26
776	2010/03/25	10:56:32	74.1089	4010.29	234.03	10:55:35	74.0928	4012.14	234.47	-0.26
777	2010/03/25	11:25:32	74.5922	4008.77	234.16	11:24:35	74.5761	4010.66	234.62	-0.27
778	2010/03/25	11:54:32	75.0756	4007.31	234.29	11:53:35	75.0594	4009.23	234.75	-0.27
779	2010/03/25	12:23:32	75.5589	4005.98	234.42	12:22:35	75.5428	4007.82	234.89	-0.26
780	2010/03/25	12:52:32	76.0422	4004.62	234.54	12:51:35	76.0261	4006.45	235.01	-0.26
781	2010/03/25	13:21:32	76.5256	4003.29	234.69	13:20:35	76.5094	4005.09	235.11	-0.25
782	2010/03/25	13:50:32	77.0089	4001.90	234.77	13:49:35	76.9928	4003.76	235.23	-0.26
783	2010/03/25	14:19:32	77.4922	4000.67	234.89	14:18:35	77.4761	4002.46	235.34	-0.25
784	2010/03/25	14:48:32	77.9756	3999.53	235.06	14:47:35	77.9594	4001.21	235.44	-0.24
785	2010/03/25	15:17:32	78.4589	3998.27	235.16	15:16:35	78.4428	3999.95	235.53	-0.24
786	2010/03/25	15:46:32	78.9422	3997.12	235.26	15:45:35	78.9261	3998.76	235.64	-0.23
787	2010/03/25	16:15:32	79.4256	3995.99	235.36	16:14:35	79.4094	3997.61	235.74	-0.23
788	2010/03/25	16:44:32	79.9089	3994.62	235.46	16:43:35	79.8928	3996.30	235.84	-0.23
789	2010/03/25	17:13:32	80.3922	3992.90	235.48	17:12:35	80.3761	3994.74	235.94	-0.26
790	2010/03/25	17:42:32	80.8756	3991.62	235.62	17:41:35	80.8594	3993.34	236.09	-0.24
791	2010/03/25	18:11:32	81.3589	3990.24	235.75	18:10:35	81.3428	3991.99	236.20	-0.25
792	2010/03/25	18:40:32	81.8422	3988.86	235.75	18:39:35	81.8261	3990.71	236.28	-0.26

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
 SE NW Sec 10 T1N R67W
 Start Test Date: 2010/03/22
 Final Test Date: 2010/03/29

Suckla Farms Injection #1
 Formation: Lyons
 Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
793	2010/03/25	19:09:32	82.3256	3987.63	235.87	19:08:35	82.3094	3989.47	236.38	-0.26
794	2010/03/25	19:38:32	82.8089	3986.32	235.89	19:37:35	82.7928	3988.27	236.47	-0.28
795	2010/03/25	20:07:32	83.2922	3985.29	236.04	20:06:35	83.2761	3987.10	236.54	-0.26
796	2010/03/25	20:36:32	83.7756	3984.39	236.14	20:35:35	83.7594	3985.97	236.61	-0.22
797	2010/03/25	21:05:32	84.2589	3983.12	236.24	21:04:35	84.2428	3984.87	236.69	-0.25
798	2010/03/25	21:34:32	84.7422	3982.01	236.29	21:33:35	84.7261	3983.79	236.79	-0.25
799	2010/03/25	22:03:32	85.2256	3981.06	236.45	22:02:35	85.2094	3982.75	236.87	-0.24
800	2010/03/25	22:32:32	85.7089	3980.03	236.49	22:31:35	85.6928	3981.74	236.95	-0.24
801	2010/03/25	23:01:32	86.1922	3978.99	236.50	23:00:35	86.1761	3980.77	237.02	-0.25
802	2010/03/25	23:30:32	86.6756	3977.99	236.57	23:29:35	86.6594	3979.82	237.10	-0.26
803	2010/03/25	23:59:32	87.1589	3977.20	236.69	23:58:35	87.1428	3978.91	237.18	-0.24
804	2010/03/26	00:28:32	87.6422	3976.23	236.76	00:27:35	87.6261	3978.03	237.25	-0.26
805	2010/03/26	00:57:32	88.1256	3975.42	236.81	00:56:35	88.1094	3977.16	237.31	-0.25
806	2010/03/26	01:26:32	88.6089	3974.62	236.93	01:25:35	88.5928	3976.31	237.38	-0.24
807	2010/03/26	01:55:32	89.0922	3973.75	237.04	01:54:35	89.0761	3975.48	237.44	-0.25
808	2010/03/26	02:24:32	89.5756	3972.84	237.08	02:23:35	89.5594	3974.66	237.51	-0.26
809	2010/03/26	02:53:32	90.0589	3972.16	237.12	02:52:35	90.0428	3973.86	237.56	-0.24
810	2010/03/26	03:22:32	90.5422	3971.37	237.17	03:21:35	90.5261	3973.08	237.61	-0.24
811	2010/03/26	03:51:32	91.0256	3970.57	237.25	03:50:35	91.0094	3972.30	237.67	-0.25
812	2010/03/26	04:20:32	91.5089	3969.84	237.26	04:19:35	91.4928	3971.54	237.72	-0.24
813	2010/03/26	04:49:32	91.9922	3969.06	237.38	04:48:35	91.9761	3970.79	237.77	-0.25
814	2010/03/26	05:18:32	92.4756	3968.47	237.36	05:17:35	92.4594	3970.06	237.83	-0.23
815	2010/03/26	05:47:32	92.9589	3967.72	237.52	05:46:35	92.9428	3969.34	237.88	-0.23
816	2010/03/26	06:16:32	93.4422	3966.90	237.53	06:15:35	93.4261	3968.61	237.94	-0.25
817	2010/03/26	06:45:32	93.9256	3966.17	237.61	06:44:35	93.9094	3967.87	238.00	-0.24
818	2010/03/26	07:14:32	94.4089	3965.58	237.70	07:13:35	94.3928	3967.13	238.05	-0.22
819	2010/03/26	07:43:32	94.8922	3964.80	237.69	07:42:35	94.8761	3966.42	238.12	-0.23
820	2010/03/26	08:12:32	95.3756	3963.99	237.70	08:11:35	95.3594	3965.70	238.18	-0.24
821	2010/03/26	08:41:32	95.8589	3963.37	237.77	08:40:35	95.8428	3964.99	238.23	-0.23
822	2010/03/26	09:10:32	96.3422	3962.65	237.78	09:09:35	96.3261	3964.30	238.28	-0.24
823	2010/03/26	09:39:32	96.8256	3961.98	237.90	09:38:35	96.8094	3963.59	238.33	-0.23
824	2010/03/26	10:08:32	97.3089	3961.21	237.91	10:07:35	97.2928	3962.91	238.38	-0.24
825	2010/03/26	10:37:32	97.7922	3960.55	237.91	10:36:35	97.7761	3962.25	238.43	-0.24
826	2010/03/26	11:06:32	98.2756	3959.87	237.95	11:05:35	98.2594	3961.58	238.48	-0.24
827	2010/03/26	11:35:32	98.7589	3959.27	238.00	11:34:35	98.7428	3960.93	238.53	-0.24
828	2010/03/26	12:04:32	99.2422	3958.66	238.05	12:03:35	99.2261	3960.31	238.60	-0.24
829	2010/03/26	12:33:32	99.7256	3958.00	238.09	12:32:35	99.7094	3959.70	238.64	-0.24
830	2010/03/26	13:02:32	100.2089	3957.42	238.16	13:01:35	100.1928	3959.10	238.68	-0.24
831	2010/03/26	13:31:32	100.6922	3956.84	238.19	13:30:35	100.6761	3958.53	238.74	-0.24
832	2010/03/26	14:00:32	101.1756	3956.28	238.25	13:59:35	101.1594	3957.97	238.79	-0.24
833	2010/03/26	14:29:32	101.6589	3955.78	238.32	14:28:35	101.6428	3957.43	238.83	-0.24
834	2010/03/26	14:58:32	102.1422	3955.20	238.33	14:57:35	102.1261	3956.90	238.89	-0.24
835	2010/03/26	15:27:32	102.6256	3954.82	238.49	15:26:35	102.6094	3956.38	238.93	-0.22
836	2010/03/26	15:56:32	103.1089	3954.24	238.50	15:55:35	103.0928	3955.85	238.97	-0.23

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00
 Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00
 Print Filter: Print every 29th point

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi
837	2010/03/26	16:25:32	103.5922	3953.60	238.46	16:24:35	103.5761	3955.30	239.02	-0.24
838	2010/03/26	16:54:32	104.0756	3953.07	238.50	16:53:35	104.0594	3954.76	239.07	-0.24
839	2010/03/26	17:23:32	104.5589	3952.53	238.54	17:22:35	104.5428	3954.22	239.12	-0.24
840	2010/03/26	17:52:32	105.0422	3952.00	238.60	17:51:35	105.0261	3953.69	239.17	-0.24
841	2010/03/26	18:21:32	105.5256	3951.55	238.67	18:20:35	105.5094	3953.15	239.20	-0.23
842	2010/03/26	18:50:32	106.0089	3950.95	238.67	18:49:35	105.9928	3952.64	239.25	-0.24
843	2010/03/26	19:19:32	106.4922	3950.44	238.71	19:18:35	106.4761	3952.14	239.29	-0.24
844	2010/03/26	19:48:32	106.9756	3949.95	238.75	19:47:35	106.9594	3951.62	239.32	-0.24
845	2010/03/26	20:17:32	107.4589	3949.44	238.78	20:16:35	107.4428	3951.11	239.37	-0.24
846	2010/03/26	20:46:32	107.9422	3948.93	238.84	20:45:35	107.9261	3950.61	239.39	-0.24
847	2010/03/26	21:15:32	108.4256	3948.41	238.86	21:14:35	108.4094	3950.12	239.44	-0.25
848	2010/03/26	21:44:32	108.9089	3947.86	238.91	21:43:35	108.8928	3949.66	239.49	-0.26
849	2010/03/26	22:13:32	109.3922	3947.43	238.95	22:12:35	109.3761	3949.21	239.53	-0.26
850	2010/03/26	22:42:32	109.8756	3947.15	238.99	22:41:35	109.8594	3948.77	239.55	-0.23
851	2010/03/26	23:11:32	110.3589	3946.67	239.02	23:10:35	110.3428	3948.31	239.60	-0.24
852	2010/03/26	23:40:32	110.8422	3946.23	239.05	23:39:35	110.8261	3947.87	239.63	-0.24
853	2010/03/27	00:09:32	111.3256	3945.78	239.09	00:08:35	111.3094	3947.43	239.67	-0.24
854	2010/03/27	00:38:32	111.8089	3945.41	239.12	00:37:35	111.7928	3947.00	239.70	-0.23
855	2010/03/27	01:07:32	112.2922	3944.86	239.16	01:06:35	112.2761	3946.59	239.74	-0.25
856	2010/03/27	01:36:32	112.7756	3944.44	239.19	01:35:35	112.7594	3946.18	239.77	-0.25
857	2010/03/27	02:05:32	113.2589	3944.09	239.23	02:04:35	113.2428	3945.78	239.80	-0.24
858	2010/03/27	02:34:32	113.7422	3943.76	239.25	02:33:35	113.7261	3945.36	239.84	-0.23
859	2010/03/27	03:03:32	114.2256	3943.34	239.29	03:02:35	114.2094	3944.98	239.88	-0.23
860	2010/03/27	03:32:32	114.7089	3942.91	239.32	03:31:35	114.6928	3944.58	239.91	-0.24
861	2010/03/27	04:01:32	115.1922	3942.39	239.35	04:00:35	115.1761	3944.19	239.94	-0.26
862	2010/03/27	04:30:32	115.6756	3941.99	239.38	04:29:35	115.6594	3943.80	239.97	-0.26
863	2010/03/27	04:59:32	116.1589	3941.61	239.42	04:58:35	116.1428	3943.43	240.00	-0.26
864	2010/03/27	05:28:32	116.6422	3941.25	239.46	05:27:35	116.6261	3943.02	240.03	-0.25
865	2010/03/27	05:57:32	117.1256	3940.84	239.49	05:56:35	117.1094	3942.61	240.06	-0.26
866	2010/03/27	06:26:32	117.6089	3940.35	239.52	06:25:35	117.5928	3942.13	240.09	-0.26
867	2010/03/27	06:55:32	118.0922	3939.92	239.56	06:54:35	118.0761	3941.70	240.13	-0.26
868	2010/03/27	07:24:32	118.5756	3939.57	239.59	07:23:35	118.5594	3941.29	240.16	-0.25
869	2010/03/27	07:53:32	119.0589	3939.18	239.62	07:52:35	119.0428	3940.87	240.19	-0.24
870	2010/03/27	08:22:32	119.5422	3938.77	239.64	08:21:35	119.5261	3940.45	240.22	-0.24
871	2010/03/27	08:51:32	120.0256	3938.33	239.67	08:50:35	120.0094	3940.04	240.24	-0.25
872	2010/03/27	09:20:32	120.5089	3937.97	239.70	09:19:35	120.4928	3939.65	240.27	-0.24
873	2010/03/27	09:49:32	120.9922	3937.55	239.73	09:48:35	120.9761	3939.24	240.30	-0.24
874	2010/03/27	10:18:32	121.4756	3937.05	239.76	10:17:35	121.4594	3938.84	240.33	-0.26
875	2010/03/27	10:47:32	121.9589	3936.74	239.79	10:46:35	121.9428	3938.46	240.38	-0.25
876	2010/03/27	11:16:32	122.4422	3936.32	239.82	11:15:35	122.4261	3938.10	240.39	-0.26
877	2010/03/27	11:45:32	122.9256	3936.04	239.85	11:44:35	122.9094	3937.71	240.42	-0.24
878	2010/03/27	12:14:32	123.4089	3935.62	239.87	12:13:35	123.3928	3937.35	240.45	-0.25
879	2010/03/27	12:43:32	123.8922	3935.25	239.90	12:42:35	123.8761	3937.02	240.48	-0.26
880	2010/03/27	13:12:32	124.3756	3934.90	239.93	13:11:35	124.3594	3936.66	240.50	-0.25

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal SE NW Sec 10 T1N R67W Start Test Date: 2010/03/22 Final Test Date: 2010/03/29											Suckla Farms Injection #1 Formation: Lyons Pool: Lyons		
	Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time	Top Pres. psi(a)	Top Temp. °F	Top G1 - G2	Diff. psi		
881	2010/03/27	13:41:32	124.8589	3934.63	239.96	13:40:35	124.8428	3936.35	240.53		-0.25		
882	2010/03/27	14:10:32	125.3422	3934.38	239.99	14:09:35	125.3261	3936.05	240.55		-0.24		
883	2010/03/27	14:39:32	125.8256	3934.13	240.00	14:38:35	125.8094	3935.79	240.58		-0.24		
884	2010/03/27	15:08:32	126.3089	3933.84	240.03	15:07:35	126.2928	3935.53	240.61		-0.24		
885	2010/03/27	15:37:32	126.7922	3933.58	240.07	15:36:35	126.7761	3935.22	240.64		-0.24		
886	2010/03/27	16:06:32	127.2756	3933.28	240.09	16:05:35	127.2594	3934.96	240.66		-0.24		
887	2010/03/27	16:35:32	127.7589	3932.98	240.12	16:34:35	127.7428	3934.67	240.69		-0.24		
888	2010/03/27	17:04:32	128.2422	3932.69	240.14	17:03:35	128.2261	3934.38	240.71		-0.24		
889	2010/03/27	17:33:32	128.7256	3932.39	240.16	17:32:35	128.7094	3934.07	240.73		-0.24		
890	2010/03/27	18:02:32	129.2089	3932.09	240.19	18:01:35	129.1928	3933.75	240.76		-0.24		
891	2010/03/27	18:31:32	129.6922	3931.77	240.22	18:30:35	129.6761	3933.44	240.77		-0.24		
892	2010/03/27	19:00:32	130.1756	3931.46	240.23	18:59:35	130.1594	3933.11	240.80		-0.24		
893	2010/03/27	19:29:32	130.6589	3931.13	240.26	19:28:35	130.6428	3932.81	240.83		-0.24		
894	2010/03/27	19:58:32	131.1422	3930.80	240.28	19:57:35	131.1261	3932.48	240.84		-0.24		
895	2010/03/27	20:27:32	131.6256	3930.48	240.30	20:26:35	131.6094	3932.15	240.87		-0.24		
896	2010/03/27	20:56:32	132.1089	3930.13	240.32	20:55:35	132.0928	3931.82	240.90		-0.24		
897	2010/03/27	21:25:32	132.5922	3929.81	240.36	21:24:35	132.5761	3931.48	240.91		-0.24		
898	2010/03/27	21:54:32	133.0756	3929.49	240.38	21:53:35	133.0594	3931.15	240.95		-0.24		
899	2010/03/27	22:23:32	133.5589	3929.15	240.40	22:22:35	133.5428	3930.82	240.97		-0.24		
900	2010/03/27	22:52:32	134.0422	3928.85	240.43	22:51:35	134.0261	3930.52	240.99		-0.24		
901	2010/03/27	23:21:32	134.5256	3928.54	240.45	23:20:35	134.5094	3930.22	241.02		-0.24		
902	2010/03/27	23:50:32	135.0089	3928.25	240.47	23:49:35	134.9928	3929.91	241.04		-0.24		
903	2010/03/28	00:19:32	135.4922	3927.94	240.49	00:18:35	135.4761	3929.63	241.07		-0.24		
904	2010/03/28	00:48:32	135.9756	3927.67	240.52	00:47:35	135.9594	3929.34	241.09		-0.24		
905	2010/03/28	01:17:32	136.4589	3927.40	240.54	01:16:35	136.4428	3929.07	241.11		-0.24		
906	2010/03/28	01:46:32	136.9422	3927.14	240.56	01:45:35	136.9261	3928.80	241.13		-0.24		
907	2010/03/28	02:15:32	137.4256	3926.88	240.58	02:14:35	137.4094	3928.56	241.14		-0.24		
908	2010/03/28	02:44:32	137.9089	3926.65	240.61	02:43:35	137.8928	3928.30	241.17		-0.24		
909	2010/03/28	03:13:32	138.3922	3926.39	240.63	03:12:35	138.3761	3928.07	241.18		-0.24		
910	2010/03/28	03:42:32	138.8756	3926.16	240.65	03:41:35	138.8594	3927.84	241.21		-0.24		
911	2010/03/28	04:11:32	139.3589	3925.91	240.66	04:10:35	139.3428	3927.61	241.23		-0.25		
912	2010/03/28	04:40:32	139.8422	3925.68	240.69	04:39:35	139.8261	3927.36	241.25		-0.24		
913	2010/03/28	05:09:32	140.3256	3925.44	240.71	05:08:35	140.3094	3927.14	241.27		-0.25		
914	2010/03/28	05:38:32	140.8089	3925.21	240.73	05:37:35	140.7928	3926.89	241.30		-0.24		
915	2010/03/28	06:07:32	141.2922	3924.96	240.75	06:06:35	141.2761	3926.66	241.32		-0.25		
916	2010/03/28	06:36:32	141.7756	3924.70	240.76	06:35:35	141.7594	3926.39	241.33		-0.24		
917	2010/03/28	07:05:32	142.2589	3924.44	240.79	07:04:35	142.2428	3926.13	241.36		-0.24		
918	2010/03/28	07:34:32	142.7422	3924.19	240.81	07:33:35	142.7261	3925.88	241.37		-0.24		
919	2010/03/28	08:03:32	143.2256	3923.91	240.83	08:02:35	143.2094	3925.60	241.38		-0.24		
920	2010/03/28	08:32:32	143.7089	3923.63	240.84	08:31:35	143.6928	3925.33	241.40		-0.24		
921	2010/03/28	09:01:32	144.1922	3923.34	240.86	09:00:35	144.1761	3925.05	241.43		-0.25		
922	2010/03/28	09:30:32	144.6756	3923.07	240.89	09:29:35	144.6594	3924.76	241.45		-0.24		
923	2010/03/28	09:59:32	145.1589	3922.79	240.91	09:58:35	145.1428	3924.48	241.46		-0.24		
924	2010/03/28	10:28:32	145.6422	3922.51	240.93	10:27:35	145.6261	3924.20	241.49		-0.24		

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal SE NW Sec 10 T1N R67W Start Test Date: 2010/03/22 Final Test Date: 2010/03/29	Suckla Farms Injection #1 Formation: Lyons Pool: Lyons
--	--

Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time hr	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time hr	Top Pres. psi(a)	Top Temp. °F	Top G1 - G2 psi	Diff.
925	2010/03/28	10:57:32	146.1256	3922.23	240.94	10:56:35	146.1094	3923.94	241.50	-0.25
926	2010/03/28	11:26:32	146.6089	3921.99	240.96	11:25:35	146.5928	3923.68	241.51	-0.24
927	2010/03/28	11:55:32	147.0922	3921.74	240.97	11:54:35	147.0761	3923.43	241.54	-0.24
928	2010/03/28	12:24:32	147.5756	3921.49	241.00	12:23:35	147.5594	3923.21	241.56	-0.25
929	2010/03/28	12:53:32	148.0589	3921.28	241.01	12:52:35	148.0428	3922.96	241.58	-0.24
930	2010/03/28	13:22:32	148.5422	3921.04	241.02	13:21:35	148.5261	3922.75	241.60	-0.25
931	2010/03/28	13:51:32	149.0256	3920.82	241.05	13:50:35	149.0094	3922.52	241.62	-0.25
932	2010/03/28	14:20:32	149.5089	3920.61	241.07	14:19:35	149.4928	3922.31	241.63	-0.25
933	2010/03/28	14:49:32	149.9922	3920.42	241.08	14:48:35	149.9761	3922.12	241.65	-0.25
934	2010/03/28	15:18:32	150.4756	3920.23	241.10	15:17:35	150.4594	3921.92	241.67	-0.24
935	2010/03/28	15:47:32	150.9589	3920.02	241.12	15:46:35	150.9428	3921.73	241.68	-0.25
936	2010/03/28	16:16:32	151.4422	3919.84	241.14	16:15:35	151.4261	3921.51	241.70	-0.24
937	2010/03/28	16:45:32	151.9256	3919.62	241.16	16:44:35	151.9094	3921.32	241.72	-0.25
938	2010/03/28	17:14:32	152.4089	3919.42	241.17	17:13:35	152.3928	3921.12	241.74	-0.25
939	2010/03/28	17:43:32	152.8922	3919.23	241.19	17:42:35	152.8761	3920.92	241.75	-0.24
940	2010/03/28	18:12:32	153.3756	3918.99	241.22	18:11:35	153.3594	3920.71	241.77	-0.25
941	2010/03/28	18:41:32	153.8589	3918.78	241.22	18:40:35	153.8428	3920.46	241.78	-0.24
942	2010/03/28	19:10:32	154.3422	3918.54	241.24	19:09:35	154.3261	3920.24	241.81	-0.25
943	2010/03/28	19:39:32	154.8256	3918.31	241.26	19:38:35	154.8094	3920.02	241.82	-0.25
944	2010/03/28	20:08:32	155.3089	3918.07	241.39	20:07:35	155.2928	3919.77	241.84	-0.25
945	2010/03/28	20:37:32	155.7922	3917.81	241.29	20:36:35	155.7761	3919.53	241.85	-0.25
946	2010/03/28	21:06:32	156.2756	3917.58	241.31	21:05:35	156.2594	3919.28	241.86	-0.25
947	2010/03/28	21:35:32	156.7589	3917.31	241.33	21:34:35	156.7428	3919.03	241.88	-0.25
948	2010/03/28	22:04:32	157.2422	3917.08	241.34	22:03:35	157.2261	3918.78	241.90	-0.24
949	2010/03/28	22:33:32	157.7256	3916.83	241.36	22:32:35	157.7094	3918.54	241.92	-0.25
950	2010/03/28	23:02:32	158.2089	3916.60	241.38	23:01:35	158.1928	3918.30	241.93	-0.25
951	2010/03/28	23:31:32	158.6922	3916.34	241.39	23:30:35	158.6761	3918.07	241.94	-0.25
952	2010/03/29	00:00:32	159.1756	3916.13	241.40	23:59:35	159.1594	3917.85	241.97	-0.25
953	2010/03/29	00:29:32	159.6589	3915.93	241.42	00:28:35	159.6428	3917.62	241.98	-0.24
954	2010/03/29	00:58:32	160.1422	3915.70	241.44	00:57:35	160.1261	3917.42	242.00	-0.25
955	2010/03/29	01:27:32	160.6256	3915.50	241.46	01:26:35	160.6094	3917.19	242.01	-0.24
956	2010/03/29	01:56:32	161.1089	3915.30	241.47	01:55:35	161.0928	3917.02	242.02	-0.25
957	2010/03/29	02:25:32	161.5922	3915.13	241.48	02:24:35	161.5761	3916.85	242.04	-0.25
958	2010/03/29	02:54:32	162.0756	3914.96	241.50	02:53:35	162.0594	3916.66	242.06	-0.25
959	2010/03/29	03:23:32	162.5589	3914.78	241.52	03:22:35	162.5428	3916.50	242.07	-0.25
960	2010/03/29	03:52:32	163.0422	3914.63	241.53	03:51:35	163.0261	3916.34	242.09	-0.25
961	2010/03/29	04:21:32	163.5256	3914.48	241.55	04:20:35	163.5094	3916.18	242.10	-0.24
962	2010/03/29	04:50:32	164.0089	3914.31	241.56	04:49:35	163.9928	3916.01	242.12	-0.25
963	2010/03/29	05:19:32	164.4922	3914.08	241.59	05:18:35	164.4761	3915.84	242.13	-0.25
964	2010/03/29	05:48:32	164.9756	3913.91	241.60	05:47:35	164.9594	3915.66	242.15	-0.25
965	2010/03/29	06:17:32	165.4589	3913.81	241.63	06:16:35	165.4428	3915.49	242.16	-0.24
966	2010/03/29	06:46:32	165.9422	3913.59	241.64	06:45:35	165.9261	3915.32	242.17	-0.25
967	2010/03/29	07:15:32	166.4256	3913.41	241.64	07:14:35	166.4094	3915.12	242.19	-0.25
968	2010/03/29	07:44:32	166.9089	3913.21	241.66	07:43:35	166.8928	3914.95	242.21	-0.26

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00

Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenburg Disposal
SE NW Sec 10 T1N R67W
Start Test Date: 2010/03/22
Final Test Date: 2010/03/29

Suckla Farms Injection #1
Formation: Lyons
Pool: Lyons

Bottom Date yyyy/mm/dd	Bottom Clk Time hh:mm:ss	Bottom Time	Bottom Pres. psi(a)	Bottom Temp. °F	Top Clk Time hh:mm:ss	Top Time	Top Pres. psi(a)	Top Temp. °F	Diff. G1 - G2 psi	
969	2010/03/29	08:13:32	167.3922	3912.49	242.18	08:12:35	167.3761	3916.71	242.64	-0.05
970	2010/03/29	08:42:32	167.8756	1570.02	142.57	08:41:35	167.8594	1714.41	147.33	-3.08
971	2010/03/29	09:11:32	168.3589	434.04	75.84	09:10:35	168.3428	437.56	76.63	-0.46
972	2010/03/29	09:24:32	168.5756	9.17	61.49	09:24:35	168.5761	13.18	61.08	-0.58

Bottom Serial Number: 5316 Start Date: 2010/03/22 08:50:00 Run Depth: 9020.00
Top Serial Number: 5316 Start Date: 2010/03/22 08:50:01 Run Depth: 9019.00
Print Filter: Print every 29th point